2025

AWOX™

Cooker Hoods

www.tectone.com.tr

Welcome to Tectone

Türkiye
Discover
the potential

Welcome to Tectone, where innovation meets legacy. Embarking on one of Türkiye's most ambitious stand alone projects, we've set out to redefine the home appliance manufacturing sector. Starting from scratch, Tectone carries the weight of a grand vision - to transform households globally with full range paralleled products. Our endeavor isn't just about scale or sophistication; it's about reshaping everyday experiences. And, while our journey might be new, our foundation is robust, backed by Can Holding; one of Türkiye's paramount corporate giants.

Dive in, and discover the Tectone difference.

- **2,000,000 m2** total indoor space (in 3 diffrent locations)
- Adding value with **14.000+** team members all around globe
- **44 million** units production capacity (annual)
- **Worldwide** markets

What We Offer?

Tectone delivers unparalleled efficiency, wide product range, and assured quality in home appliance manufacturing. Partner with us for a seamless, optimized business experience.

Wide Product Range from Single Entity



Comprehensive In-house Manufacturing



Logistic Cost Advantage



2% FoC Spare Parts of Total Invoice Amount (Worldwide)

OEM & ODM Digital Design Marketing Support

Optimized Quality Assurance



Optimized Lead Time Guarantee



Product Configuration Freedom

Strong After Sales Support

Work with Us!

Chimney Hoods	5
Telescopic Hoods	8
Pyramids	9
T Model Hoods	10
Fully Integrated Hoods	10
Flat Hoods	11
Island Hoods	12
Hob Extractor	12

Chimney Hoods



AEC-Single Glass-60 / O:150 mm

Technical Data

- Category: Chimney Hoods
- Body Type: Big
- Product Width: 596 mm
- Product Body Dimensions: 596x398x365 mm
- Product Height (min-max): 1100/900 mm
- Outlet: Ø 150 mm
- Exhaust Capacity: 400-600-800 m³/h

- Control Panel
  Push Button (std.)
  Touch Control (opt.)
  Remote (opt.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 218W
- Min Noise Level: 52 dB
- Max Noise Level: 61 dB
- Intensive Noise Level: 58 dB
- Speed Level: 3
- 2x3 W Led Lights



AEC-Two Glass-60 / O: 150 mm

Technical Data

- Category: Chimney Hoods
- Body Type: Big
- Product Width: 596 mm
- Product Body Dimensions: 596x398x365 mm
- Product Height (min-max): 1100/900 mm
- Outlet: Ø 150 mm
- Exhaust Capacity: 400-600-800 m³/h

- Control Panel
  Push Button (std.)
  Touch Control (opt.)
  Remote (opt.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 218W
- Min Noise Level: 52 dB
- Max Noise Level: 61 dB
- Intensive Noise Level: 58 dB
- Speed Level: 3
- 2x3 W Led Lights



AEC-Three Glass-60 / O: 150 mm

Technical Data

- Category: Chimney Hoods
- Body Type: Big
- Product Width: 596 mm
- Product Body Dimensions: 596x398x365 mm
- Product Height (min-max): 1100/900 mm
- Outlet: Ø 150 mm
- Exhaust Capacity: 400-600-800 m³/h

- Control Panel
  Push Button (std.)
  Touch Control (opt.)
  Remote (opt.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 218W
- Min Noise Level: 52 dB
- Max Noise Level: 61 dB
- Intensive Noise Level: 58 dB
- Speed Level: 3
- 2x3 W Led Lights



AEC-Single Glass-60 / O: 120 mm

Technical Data

- Category: Chimney Hoods
- Body Type: Small
- Product Width: 596 mm
- Product Body Dimensions: 596x360x350 mm
- Product Height (min/max): 870/725 mm
- Outlet: Ø 120 mm
- Exhaust Capacity: 300-350 m³/h

- Control Panel
  Push Button (std.)
  Touch Control (opt.)
  Remote (opt.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 130 W
- Min Noise Level: 54 dB
- Max Noise Level: 63 dB
- Intensive Noise Level: 60 dB
- Speed Level: 3
- 2x3 W Led Lights



AEC-Two Glass-60 / O: 120 mm

Technical Data

- Category: Chimney Hoods
- Body Type: Small
- Product Width: 596 mm
- Product Body Dimensions: 596x360x350 mm
- Product Height (min/max): 870/725 mm
- Outlet: Ø 120 mm
- Exhaust Capacity: 300-350 m³/h

- Control Panel
  Push Button (std.)
  Touch Control (opt.)
  Remote (opt.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 130 W
- Min Noise Level: 54 dB
- Max Noise Level: 63 dB
- Intensive Noise Level: 60 dB
- Speed Level: 3
- 2x3 W Led Lights



AEC-Three Glass-60 / O: 120 mm

Technical Data

- Category: Chimney Hoods
- Body Type: Small
- Product Width: 596 mm
- Product Body Dimensions: 596x360x350 mm
- Product Height (min/max): 870/725 mm
- Outlet: Ø 120 mm
- Exhaust Capacity: 300-350 m³/h

- Control Panel
  Push Button (std.)
  Touch Control (opt.)
  Remote (opt.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 130 W
- Min Noise Level: 54 dB
- Max Noise Level: 63 dB
- Intensive Noise Level: 60 dB
- Speed Level: 3
- 2x3 W Led Lights



AEC-Single Glass-50 / O: 120 mm

Technical Data

- Category: Chimney Hoods
- Body Type: Small
- Product Width: 496 mm
- Product Body Dimensions: 496x360x350 mm
- Product Height (min/max): 870mm/725 mm
- Outlet: Ø 120 mm
- Exhaust Capacity: 300-350 m³/h

- Control Panel
Push Button (std.)
Touch Control (opt.)
Remote (opt.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 120 W
- Min Noise Level: 54 dB
- Max Noise Level: 63 dB
- Intensive Noise Level: 60 dB
- Speed Level: 3
- 2x3 W Led Lights



AEC-Two Glass-50 / O: 120 mm

Technical Data

- Category: Chimney Hoods
- Body Type: Small
- Product Width: 496 mm
- Product Body Dimensions: 496x360x350mm
- Product Height (min/max): 870mm/725mm
- Outlet: Ø 120 mm
- Exhaust Capacity: 300-350 m³/h

- Control Panel
Push Button (std.)
Touch Control (opt.)
Remote (opt.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 130 W
- Min Noise Level: 54 dB
- Max Noise Level: 63 dB
- Intensive Noise Level: 60 dB
- Speed Level: 3
- 2x3 W Led Lights



AEC-Three Glass-50 / O: 120 mm

Technical Data

- Category: Chimney Hoods
- Body Type: Small
- Product Width: 496 mm
- Product Body Dimensions:496x360x350 mm
- Product Height (min/max): 870mm/725 mm
- Outlet: Ø 120 mm
- Exhaust Capacity: 300-350 m³/h

- Control Panel
Push Button (std.)
Touch Control (opt.)
Remote (opt.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 130 W
- Min Noise Level: 54 dB
- Max Noise Level: 63 dB
- Intensive Noise Level: 60 dB
- Speed Level: 3
- 2x3 W Led Lights

Cooker Hoods Features







Smooth Movement

The oven door glass can be easily removed and installed, simplifying cleaning and maintenance.



Non-Flex Sliding

The oven door glass can be easily removed and installed, simplifying cleaning and maintenance.

Telescopic Hoods

Telescopic Hood-60 / O: 150 mm

Technical Data	Performance Data
• Category: Telescopic Aspirator	• 220-240 V
• Body Type: Small	• 50/60 Hz
• Product Width: 596 mm	• Capacitive Motor (opt.)
• Product Body Dimensions: 599x306x193 mm	• Total Hood Power: 130 W
• Outlet: Ø 150 mm	• Min Noise Level: 54 dB
• Exhaust Capacity: 300-350 m³/h	• Max Noise Level: 63 dB
• Control Panel	• Intensive Noise Level: 60 dB
• Rocker Switch (std.)	• Speed Level: 2/3
	• 2x3 W Led Lights

Telescopic Hood-60 / O: 120 mm

Technical Data	Performance Data
• Category: Telescopic Aspirator	• 220-240 V
• Body Type: Big	• 50/60 Hz
• Product Width: 596 mm	• Total Hood Power: 130 W
• Product Body Dimensions: 599x306x240 mm	• Min Noise Level: 54 dB
• Outlet: Ø 120 mm	• Max Noise Level: 63 dB
• Exhaust Capacity: 300-350 m³/h	• Intensive Noise Level: 60 dB
• Control Panel	• Speed Level: 2/3
• Rocker Switch (std.)	• 2x3 W Led Lights

Telescopic Hood-50 / O: 120 mm

Technical Data	Performance Data
• Category: Telescopic Aspirator	• 220-240 V
• Body Type: Small	• 50/60 Hz
• Product Width: 496 mm	• Total Hood Power: 130W
• Product Body Dimensions: 499x306x193 mm	• Min Noise Level: 54 dB
• Outlet: Ø 120 mm	• Max Noise Level: 63 dB
• Exhaust Capacity: 300-350 m³/h	• Intensive Noise Level: 60 dB
• Control Panel	• Speed Level: 2/3
• Rocker Switch (std.)	• 2x3 W Led Lights

Pyramid Hoods

Pyramid Hood-90 / O: 150 mm

Technical Data

- Category: Pyramid Hoods
- Body Type: Big
- Product Width: 896 mm
- Product Height (min/max): 913/699 mm
- Outlet: Ø 150 mm
- Exhaust Capacity: 400 - 600 - 800 m³/h
- Push Button (std.)

Performance Data

- 220-240 V
- 50/60 Hz
- 2x3 W Led Lights

Pyramid Hood-60 / O: 150 mm

Technical Data

- Category: Pyramid Hoods
- Body Type: Big
- Product Width: 596 mm
- Product Body Dimensions: 596x455x175 mm
- Product Height (min/max): 913/699 mm
- Outlet: Ø 150 mm
- Exhaust Capacity: 400 - 600 - 800 m³/h
- Push Button (std.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 130 W
- Min Noise Level: 54 dB
- Max Noise Level: 63 dB
- Intensive Noise Level: 60 dB
- Speed Level: 2/3
- 2x3 W Led Lights

Pyramid Hood-60 / O: 120 mm

Technical Data

- Category: Pyramid Hoods
- Body Type: Small
- Product Width: 596 mm
- Product Body Dimensions: 596x455x175 mm
- Product Height (min/max): 913/699 mm
- Outlet: Ø 120 mm
- Exhaust Capacity: 300-350 m³/h
- Push Button (std.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 130 W
- Min Noise Level: 54 dB
- Max Noise Level: 63 dB
- Intensive Noise Level: 60 dB
- Speed Level: 2/3
- 2x3 W Led Lights

Pyramid Hood-50 / O: 120 mm

Technical Data

- Category: Pyramid Hoods
- Body Type: Small
- Product Width: 496 mm
- Product Body Dimensions: 496x455x175 mm
- Product Height (min/max): 913/699 mm
- Outlet: Ø 120 mm
- Exhaust Capacity: 300-350 m³/h
- Push Button (std.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 130 W
- Min Noise Level: 54 dB
- Max Noise Level: 63 dB
- Intensive Noise Level: 60 dB
- Speed Level: 2/3
- 2x3 W Led Lights

T Model Hoods

T Model-90 / O: 150 mm

Technical Data

- Category: T Model Hoods
- Body Type: Big
- Outlet: Ø 150 mm
- Exhaust Capacity: 400 - 600 - 800 m³/h
- Push Button (std.)
- Touch Control (opt.)

Performance Data

- 220-240 V
- 50/60 Hz
- Speed Level: 2/3
- 2x3 W Led Lights

T Model-60 / O: 150 mm

Technical Data

- Category: T Model Hoods
- Body Type: Big
- Product Width: 596 mm
- Product Body Dimensions: 595x505x282 mm
- Product Height (min/max): 705/575mm
- Outlet: Ø 150 mm
- Exhaust Capacity: 400 - 600 - 800 m³/h
- Push Button (std.)
- Touch Control (opt.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 218 W
- Min Noise Level: 52 dB
- Max Noise Level: 61 dB
- Intensive Noise Level: 58 dB
- Speed Level: 2/3
- 2x3 W Led Lights

Fully Integrated Hoods



Fully Integrated Hood-60

Technical Data

- Category: Integrated Hoods
- Body Type: Small
- Product Width: 596 mm
- Product Body Dimensions: 526x276x193 mm
- Exhaust Capacity: 300 m³/h
- Push Button (std.)

Performance Data

- 220-240 V
- 50/60 Hz
- Total Hood Power: 130 W
- Min Noise Level: 54 dB
- Max Noise Level: 63 dB
- Intensive Noise Level: 60 dB
- Speed Level: 2/3
- 2x3 W Led Lights

Flat Model Hoods



Flat Model-60 / O: 150 mm

Technical Data

- Category: Flat Model Hoods
- Body Type: Big
- Outlet: Ø 150 mm
- Exhaust Capacity: 400 - 600 - 800 m³/h
- Touch Control
- Double Suction
- 5 Layer Aluminium Filters

Performance Data

- 220-240 V
- 50/60 Hz
- Speed Level: 4
- 2x1,5 W Led Lights



Flat Model-60 / O: 150 mm

Technical Data

- Category: Flat Model Hoods
- Body Type: Big
- Outlet: Ø 150 mm
- Exhaust Capacity: 400 - 600 - 800 m³/h
- Touch Control
- Double Suction
- 5 Layer Aluminium Filters

Performance Data

- 220-240 V
- 50/60 Hz
- Speed Level: 4
- 2x1,5 W Led Lights

Flat Model-60 / O: 150 mm

Technical Data

- Category: Flat Model Hoods
- Body Type: Big
- Outlet: Ø 150 mm
- Exhaust Capacity: 400 - 600 - 800 m³/h
- Touch Screen Display
- Gesture Control
- Double Suction
- 5 Layer Aluminium Filters

Performance Data

- 220-240 V
- 50/60 Hz
- Speed Level: 4
- 2x1,5 W Led Lights



Flat Model-60 / O: 150 mm

Technical Data

- Category: Flat Model Hoods
- Body Type: Big
- Outlet: Ø 150 mm
- Exhaust Capacity: 400 - 600 - 800 m³/h
- Touch Screen Display
- Gesture Control
- Double Suction
- 5 Layer Aluminium Filters

Performance Data

- 220-240 V
- 50/60 Hz
- Speed Level: 4
- 2x1,5 W Led Lights

Island Hoods

Island Model-60 / O: 150 mm

Technical Data

- Category: Island Hoods
- Body Type: Big
- Outlet: Ø 150 mm
- Exhaust Capacity: 600 - 800 m³/h
- Touch Screen Display
- Touch Control
- Gesture Control

Performance Data

- 220-240 V
- 50/60 Hz
- Speed Level: 4
- 3x1,6 W Led Lights

Island Model-60 / O: 150 mm

Technical Data

- Category: Island Hoods
- Body Type: Big
- Outlet: Ø 150 mm
- Exhaust Capacity: 600 - 800 m³/h
- Touch Screen Display
- Touch Control
- Gesture Control

Performance Data

- 220-240 V
- 50/60 Hz
- Speed Level: 4
- 3x1,6 W Led Lights

Hob Extraction Cooker Hoods



Hob Extractor

Technical Data

- Category: Induction Hob with Downdraft Extractor
- Slider Touch Control
- 10 Level Air Speed Control and Boost Function
- 9 Level Coil Control
- Noise: 50-60dB
- Min Flow Rate: 200m³/h
- Max. Flow Rate: 650m³/h
- Touch Control

Performance Data

- Left Zone: 3600W
- Right Zone Front: 1500W-1800W
- Right Zone Rear: 2300W-2600W
- Total Power: 7200W
- Motor Power: 200W
- Voltage: 220-230V 50/60 Hz

AWOX™

Connected with you,
Shaped By Tectone

HQ

Mehmet Akif Mahallesi Bahariye Caddesi
Çam Sokak No:51/5 İkitelli
K.Çekmece / İstanbul,
TÜRKİYE
export@tectone.com.tr

Mersin Factory

Organize Sanayi Bölgesi Tarsus
Mersin,
TÜRKİYE
export@tectone.com.tr

Çerkezköy Factory

Karaağaç, 8. Sk. No: 8, 59510 Kapaklı Tekirdağ
TÜRKİYE
export@tectone.com.tr

Lüleburgaz Factory

Evrensekiz Cd., No: 7/1, 39750 Sakızköy
Lüleburgaz / Kırklareli,
TÜRKİYE
export@tectone.com.tr

www.tectone.com.tr

All designs and images in this catalog are the exclusive property of Tectone. We reserve the right to modify technical data, design, and colors of individual appliances, and all other information contained within this brochure without notice. Due to variables in the reproduction process, the colors of actual products may vary slightly from those depicted. Unauthorized use, reproduction, or distribution of these designs and images is strictly prohibited. All rights reserved.

AWOX™

Connected with you,
Shaped By Tectone

www.tectone.com.tr