

AWOX™

2024

Freestanding Cooker
Catalogue



Welcome to Tectone

Welcome to Tectone, where innovation meets legacy. Embarking on one of Türkiye's most ambitious standalone projects, we've set out to redefine the home appliance manufacturing sector. Starting from scratch, Tectone carries the weight of a grand vision - to transform homes globally with a full range unparalleled products. Our endeavor isn't just about scale or sophistication; it's about reshaping everyday experiences. And, while our journey might be new, our foundation is robust, backed by Can Holding, one of Türkiye's paramount corporate giants.

Dive in, and discover the Tectone difference.

- **2,000,000 m2** total indoor space (in 3 different locations)
- Adding value with **14.000+** team members all around globe
- **44 million** units production capacity (annual)
- **Worldwide** markets



What We Offer?


Tectone delivers unparalleled efficiency, wide product range, and assured quality in home appliance manufacturing. Partner with us for a seamless, optimized business experience.




Wide Product Range from Single Entity




Comprehensive In-house Manufacturing



Logistic Cost Advantage



2% FoC Spare Parts of Total Invoice Amount (Worldwide)




OEM & ODM Digital Design Marketing Support




Optimized Quality Assurance



Optimized Lead Time Guarantee



Product Configuration Freedom



Strong After Sales Support

Work with Us!



Freestanding Cookers



Product Family 6

- Freestanding Cooker Types
- Electric Freestanding Cookers
 - Gas Freestanding Cookers
 - Dual Fuel Freestanding Cookers
 - Mix Freestanding Cookers

Range Cooker Types 12**Features & Options** 14**Oven Section** 20**Technologies** 26**Functions** 32**Product Design** 36**Accessories** 39**Hob Section** 44**Packaging Types** 58

Product Family



Largest Capacity

Whether the user needs a compact model for limited spaces or a larger oven for a big family, our ovens offer the largest interior volume. This spacious interior allows multiple dishes to be cooked simultaneously, making it ideal for high-volume cooking while saving time and energy.




90x60cm
Single Oven



60x60cm
Single Oven



50x60cm
Single Oven



60x60cm
Double Oven



50x60cm
Double Oven

Freestanding Cookers

Cooker Size Options

90x60cm Single: XL Cavity



- 895 x 600 x 753 mm
- 36 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 126 pcs. Shrink (86 m³ Truck)

60x60cm Single: XL Cavity



- 595 x 600 x 822 mm
- 48 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 144 pcs. Shrink (86 m³ Truck)

50x60cm Single: XL Cavity



- 495 x 600 x 822 mm
- 70 pcs. Shrink (20DC)
- 144 pcs. Shrink (40HC)
- 144 pcs. Shrink (86 m³ Truck)

60x60cm Double: XL Cavity



- 595 x 600 x 880 mm
- 48 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 120 pcs. Shrink (86 m³ Truck)

50x60cm Double: XL Cavity




- 495 x 600 x 880 mm
- 70 pcs. Shrink (20DC)
- 144 pcs. Shrink (40HC)
- 120 pcs. Shrink (86 m³ Truck)

Cooker Fuel Type Options


 Electric

 Gas

 Dual Fuel




Gas




Electric




Dual Fuel




Dual Fuel
Mixed



Dual Fuel
Mixed



Dual Fuel
Mixed



Dual Fuel
Mixed

90 x 60 cm Single Oven	●	●	●	●	●	●	●
60 x 60 cm Single Oven	●	●	●	●	●	●	●
60 x 60 cm Double Oven		●	●			●	
50 x 60 cm Single Oven	●	●	●	●	●	●	●
50 x 60 cm Double Oven		●	●			●	

Freestanding Cooker Types

Electric Freestanding Cookers

Electric Cooktop Selections with Electric Oven

90x60cm Single: XL Cavity (138lt)



- Wire Rack w/o Fan: 138L
- Wire Rack w/ Fan: 127L
- Embossed w/o Fan: 133L
- Embossed w/ Fan: 122L
- 895 x 600 x 753 mm
- 36 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 126 pcs. Shrink (86 m³ Truck)

60x60cm Single: XL Cavity (85lt)



- Wire Rack w/o Fan: 85L
- Wire Rack w/ Fan: 80L
- Embossed w/o Fan: 80L
- Embossed w/ Fan: 76L
- 595 x 600 x 822 mm
- 48 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 144 pcs. Shrink (86 m³ Truck)

50x60cm Single: XL Cavity (70lt)



- Wire Rack w/o Fan: 70L
- Wire Rack w/ Fan: 63L
- Embossed w/o Fan: 64L
- Embossed w/ Fan: 58L
- 495 x 600 x 822 mm
- 70 pcs. Shrink (20DC)
- 144 pcs. Shrink (40HC)
- 144 pcs. Shrink (86 m³ Truck)

60x60cm Double: XL Cavity (85 lt + 34lt)



- Wire Rack w/o Fan: 85L (1)
- Wire Rack w/ Fan: 80L (1)
- Embossed w/o Fan: 80L (1)
- Embossed w/ Fan: 76L (1)
- Wire Rack w/o Fan: 34L (2)
- Wire Rack w/ Fan: 33L (2)
- Embossed w/o Fan: 33L (2)
- Embossed w/ Fan: 31L (2)
- 595 x 600 x 880 mm
- 48 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 120 pcs. Shrink (86 m³ Truck)

50x60cm Double: XL Cavity (70lt + 27lt)



- Wire Rack w/o Fan: 70L (1)
- Wire Rack w/ Fan: 63L (1)
- Embossed w/o Fan: 64L (1)
- Embossed w/ Fan: 58L (1)
- Wire Rack w/o Fan: 27L (2)
- Wire Rack w/ Fan: 26L (2)
- Embossed w/o Fan: 25L (2)
- Embossed w/ Fan: 24L (2)
- 495 x 600 x 880 mm
- 70 pcs. Shrink (20DC)
- 144 pcs. Shrink (40HC)
- 120 pcs. Shrink (86 m³ Truck)

Gas Freestanding Cookers

Gas Cooktop Selections with Gas Oven

90x60cm Single: XL Cavity (123lt)




- Wire Rack w/o Fan: 123L
- Wire Rack w/ Fan: 113L
- Embossed w/o Fan: 118L
- Embossed w/ Fan: 109L
- 895 x 600 x 753 mm
- 36 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 126 pcs. Shrink (86 m³ Truck)

60x60cm Single: XL Cavity (80lt)



- Wire Rack w/o Fan: 80L
- Wire Rack w/ Fan: 75L
- Embossed w/o Fan: 75L
- Embossed w/ Fan: 70L
- 595 x 600 x 822 mm
- 48 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 144 pcs. Shrink (86 m³ Truck)

50x60cm Single: XL Cavity (63lt)



- Wire Rack w/o Fan: 63L
- Wire Rack w/ Fan: 57L
- Embossed w/o Fan: 58L
- Embossed w/ Fan: 53L
- 495 x 600 x 822 mm
- 70 pcs. Shrink (20DC)
- 144 pcs. Shrink (40HC)
- 144 pcs. Shrink (86 m³ Truck)

Did You Know?

Asparagus has been prized for thousands of years, dating back to Ancient Egypt and Rome. Asparagus is also one of the best natural sources of glutathione, an antioxidant that helps fight harmful free radicals in the body.

Dual Fuel Freestanding Cookers

Gas Cooktop Selections with Electric Oven

90x60cm Single: XL Cavity (138lt)




- Wire Rack w/o Fan: 138L
- Wire Rack w/ Fan: 127L
- Embossed w/o Fan: 133L
- Embossed w/ Fan: 122L
- 895 x 600 x 753 mm
- 36 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 126 pcs. Shrink (86 m³ Truck)

60x60cm Single: XL Cavity (85lt)



- Wire Rack w/o Fan: 85L
- Wire Rack w/ Fan: 80L
- Embossed w/o Fan: 80L
- Embossed w/ Fan: 76L
- 595 x 600 x 822 mm
- 48 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 144 pcs. Shrink (86 m³ Truck)

50x60cm Single: XL Cavity (70lt)



- Wire Rack w/o Fan: 70L
- Wire Rack w/ Fan: 63L
- Embossed w/o Fan: 64L
- Embossed w/ Fan: 58L
- 495 x 600 x 822 mm
- 70 pcs. Shrink (20DC)
- 144 pcs. Shrink (40HC)
- 144 pcs. Shrink (86 m³ Truck)

60x60cm Double: XL Cavity (85lt + 34lt)



- Wire Rack w/o Fan: 34L (T)
- Wire Rack w/ Fan: 33L (T)
- Embossed w/o Fan: 33L (T)
- Embossed w/ Fan: 31L (T)
- Wire Rack w/o Fan: 85L (B)
- Wire Rack w/ Fan: 80L (B)
- Embossed w/o Fan: 80L (B)
- Embossed w/ Fan: 76L (B)
- 595 x 600 x 880 mm
- 48 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 120 pcs. Shrink (86 m³ Truck)

50x60cm Double: XL Cavity (70lt + 27lt)



- Wire Rack w/o Fan: 27L (T)
- Wire Rack w/ Fan: 26L (T)
- Embossed w/o Fan: 25L (T)
- Embossed w/ Fan: 24L (T)
- Wire Rack w/o Fan: 70L (B)
- Wire Rack w/ Fan: 63L (B)
- Embossed w/o Fan: 64L (B)
- Embossed w/ Fan: 58L (B)
- 495 x 600 x 880 mm
- 70 pcs. Shrink (20DC)
- 144 pcs. Shrink (40HC)
- 120 pcs. Shrink (86 m³ Truck)

Mix Freestanding Cookers

Versatile Cooktop Selections with Mix Oven (including top heating element)

90x60cm Single: XL Cavity (134lt)



- Wire Rack w/o Fan: 134L
- Wire Rack w/ Fan: 123L
- Embossed w/o Fan: 129L
- Embossed w/ Fan: 118L
- 895 x 600 x 753 mm
- 36 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 126 pcs. Shrink (86 m³ Truck)

60x60cm Single: XL Cavity (85lt)



- Wire Rack w/o Fan: 85L
- Wire Rack w/ Fan: 80L
- Embossed w/o Fan: 80L
- Embossed w/ Fan: 75L
- 595 x 600 x 822 mm
- 48 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 144 pcs. Shrink (86 m³ Truck)

50x60cm Single: XL Cavity (68lt)



- Wire Rack w/o Fan: 68L
- Wire Rack w/ Fan: 62L
- Embossed w/o Fan: 63L
- Embossed w/ Fan: 57L
- 495 x 600 x 822 mm
- 70 pcs. Shrink (20DC)
- 144 pcs. Shrink (40HC)
- 144 pcs. Shrink (86 m³ Truck)

60x60cm Double: XL Cavity (85lt + 34lt)



- Wire Rack w/o Fan: 34L (T)
- Wire Rack w/ Fan: 33L (T)
- Embossed w/o Fan: 33L (T)
- Embossed w/ Fan: 31L (T)
- Wire Rack w/o Fan: 85L (B)
- Wire Rack w/ Fan: 80L (B)
- Embossed w/o Fan: 80L (B)
- Embossed w/ Fan: 76L (B)
- 595 x 600 x 880 mm
- 48 pcs. Shrink (20DC)
- 108 pcs. Shrink (40HC)
- 120 pcs. Shrink (86 m³ Truck)

50x60cm Double: XL Cavity (70lt + 27lt)



- Wire Rack w/o Fan: 27L (T)
- Wire Rack w/ Fan: 26L (T)
- Embossed w/o Fan: 25L (T)
- Embossed w/ Fan: 24L (T)
- Wire Rack w/o Fan: 70L (B)
- Wire Rack w/ Fan: 63L (B)
- Embossed w/o Fan: 64L (B)
- Embossed w/ Fan: 58L (B)
- 495 x 600 x 880 mm
- 70 pcs. Shrink (20DC)
- 144 pcs. Shrink (40HC)
- 120 pcs. Shrink (86 m³ Truck)

Range Cookers

The R&D process is currently ongoing.

120cm: XL Cavity (85lt + 85lt)



- Wire Rack w/o Fan: 85L (1)
- Wire Rack w/ Fan: 80L (1)
- Embossed w/o Fan: 80L (1)
- Embossed w/ Fan: 76L (1)

- Wire Rack w/o Fan: 85L (2)
- Wire Rack w/ Fan: 80L (2)
- Embossed w/o Fan: 80L (2)
- Embossed w/ Fan: 76L (2)

- 1195 x 600 x 900 mm

- The R&D process is currently ongoing.

110cm: XL Cavity (34lt + 85lt + 70lt + 27lt)



- Wire Rack w/o Fan: 34L (1)
- Wire Rack w/ Fan: 33L (1)
- Embossed w/o Fan: 33L (1)
- Embossed w/ Fan: 31L (1)

- Wire Rack w/o Fan: 70L (3)
- Wire Rack w/ Fan: 63L (3)
- Embossed w/o Fan: 64L (3)
- Embossed w/ Fan: 58L (3)

- Wire Rack w/o Fan: 85L (2)
- Wire Rack w/ Fan: 80L (2)
- Embossed w/o Fan: 80L (2)
- Embossed w/ Fan: 76L (2)

- Wire Rack w/o Fan: 27L (4)
- Wire Rack w/ Fan: 26L (4)
- Embossed w/o Fan: 25L (4)
- Embossed w/ Fan: 24L (4)

- 1095 x 600 x 900 mm

- The R&D process is currently ongoing.

100cm: XL Cavity (27lt + 70lt + 70lt + 27lt)



- Wire Rack w/o Fan: 27L (1)
- Wire Rack w/ Fan: 26L (1)
- Embossed w/o Fan: 25L (1)
- Embossed w/ Fan: 24L (1)

- Wire Rack w/o Fan: 70L (3)
- Wire Rack w/ Fan: 63L (3)
- Embossed w/o Fan: 64L (3)
- Embossed w/ Fan: 58L (3)

- Wire Rack w/o Fan: 70L (2)
- Wire Rack w/ Fan: 63L (2)
- Embossed w/o Fan: 64L (2)
- Embossed w/ Fan: 58L (2)

- Wire Rack w/o Fan: 27L (4)
- Wire Rack w/ Fan: 26L (4)
- Embossed w/o Fan: 25L (4)
- Embossed w/ Fan: 24L (4)

- 995 x 600 x 900 mm

- The R&D process is currently ongoing.

90cm: XL Cavity (138lt)




- Wire Rack w/o Fan: 138L
- Wire Rack w/ Fan: 127L
- Embossed w/o Fan: 133L
- Embossed w/ Fan: 122L

- 895 x 600 x 753 mm

- The R&D process is currently ongoing.

Rustic Range Cookers

120cm: XL Cavity (85lt + 85lt)




- Wire Rack w/o Fan: 34L (1)
- Wire Rack w/ Fan: 33L (1)
- Embossed w/o Fan: 33L (1)
- Embossed w/ Fan: 31L (1)
- Wire Rack w/o Fan: 85L (2)
- Wire Rack w/ Fan: 80L (2)
- Embossed w/o Fan: 80L (2)
- Embossed w/ Fan: 76L (2)
- Wire Rack w/o Fan: 34L (3)
- Wire Rack w/ Fan: 33L (3)
- Embossed w/o Fan: 33L (3)
- Embossed w/ Fan: 31L (3)
- Wire Rack w/o Fan: 85L (4)
- Wire Rack w/ Fan: 80L (4)
- Embossed w/o Fan: 80L (4)
- Embossed w/ Fan: 76L (4)

• 1195 x 600 x 900 mm

• The R&D process is currently ongoing.

110cm: XL Cavity (34lt + 85lt + 70lt + 27lt)



- Wire Rack w/o Fan: 34L (1)
- Wire Rack w/ Fan: 33L (1)
- Embossed w/o Fan: 33L (1)
- Embossed w/ Fan: 31L (1)
- Wire Rack w/o Fan: 85L (2)
- Wire Rack w/ Fan: 80L (2)
- Embossed w/o Fan: 80L (2)
- Embossed w/ Fan: 76L (2)
- Wire Rack w/o Fan: 70L (3)
- Wire Rack w/ Fan: 63L (3)
- Embossed w/o Fan: 64L (3)
- Embossed w/ Fan: 58L (3)
- Wire Rack w/o Fan: 27L (4)
- Wire Rack w/ Fan: 26L (4)
- Embossed w/o Fan: 25L (4)
- Embossed w/ Fan: 24L (4)

• 1095 x 600 x 900 mm

• The R&D process is currently ongoing.

100cm: XL Cavity (27lt + 70lt + 70lt + 27lt)



- Wire Rack w/o Fan: 27L (1)
- Wire Rack w/ Fan: 26L (1)
- Embossed w/o Fan: 25L (1)
- Embossed w/ Fan: 24L (1)
- Wire Rack w/o Fan: 70L (2)
- Wire Rack w/ Fan: 63L (2)
- Embossed w/o Fan: 64L (2)
- Embossed w/ Fan: 58L (2)
- Wire Rack w/o Fan: 70L (3)
- Wire Rack w/ Fan: 63L (3)
- Embossed w/o Fan: 64L (3)
- Embossed w/ Fan: 58L (3)
- Wire Rack w/o Fan: 27L (4)
- Wire Rack w/ Fan: 26L (4)
- Embossed w/o Fan: 25L (4)
- Embossed w/ Fan: 24L (4)

• 995 x 600 x 900 mm

• The R&D process is currently ongoing.

90cm: XL Cavity (138lt)



- Wire Rack w/o Fan: 138L
- Wire Rack w/ Fan: 127L
- Embossed w/o Fan: 133L
- Embossed w/ Fan: 122L

• 895 x 600 x 753 mm

• The R&D process is currently ongoing.

Features & Options



Control Panel Selections

90x60cm Single Cooker

No Timer



No timer version.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
✓	✓	✓	✓

Mechanical Reminder



Includes a mechanical reminder that notifies when the food is ready.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
N/A	✓	N/A	✓

Mechanical Timer



Includes a mechanical timer that switches off the oven when the food is ready.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
✓	N/A	✓	N/A

3 Touch Digital Timer (Touch Control) - Wide



Includes a digital timer that switches off the oven when the food is ready.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
✓	✓	✓	✓

3 Touch Digital Reminder (Touch Control) - Wide



Includes a digital reminder that notifies when the food is ready.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
N/A	✓	N/A	✓

3 Touch Digital Timer (Touch Control) - Narrow



Includes a digital timer that switches off the oven when the food is ready.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
✓	✓	✓	✓

4 Touch Control Panel with Digital Timer (Touch Control)



Sets oven function and temperature with knobs.
No timer for simplified operation.

Electric	Gas	Dual Fuel	Mix
✓	N/A	✓	N/A

4 Touch Control Panel with Digital Reminder (Touch Control)



Sets oven function and temperature with knobs.
No timer for simplified operation.

Electric	Gas	Dual Fuel	Mix
N/A	✓	N/A	✓

60x60cm Single Cooker
No Timer



No timer version.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
✓	✓	✓	✓

Mechanical Reminder



Includes a mechanical reminder that notifies when the food is ready.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
N/A	✓	N/A	✓

Mechanical Timer (90 mins)



Includes a mechanical timer that switches off the oven when the food is ready.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
✓	N/A	✓	N/A

3 Touch Digital Timer (Touch Control) - Wide



Includes a digital timer that switches off the oven when the food is ready.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
✓	N/A	✓	N/A

3 Touch Digital Reminder (Touch Control) - Wide



Sets oven function and temperature with knobs.
No timer for simplified operation.

Electric	Gas	Dual Fuel	Mix
N/A	✓	N/A	✓

4 Touch Control Panel with Digital Timer (Touch Control)



Sets oven function and temperature with knobs.
No timer for simplified operation.

Electric	Gas	Dual Fuel	Mix
✓	N/A	✓	N/A

4 Touch Control Panel with Digital Reminder (Touch Control)



Sets oven function and temperature with knobs.
No timer for simplified operation.

Electric	Gas	Dual Fuel	Mix
N/A	✓	N/A	✓

50x60cm Single Cooker

No Timer Control Panel



No timer version.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
✓	✓	✓	✓

Mechanical Reminder



Includes a mechanical reminder that notifies when the food is ready.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
N/A	✓	N/A	✓

Mechanical Timer (90 mins)



Includes a mechanical timer that switches off the oven when the food is ready.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
✓	N/A	✓	N/A

3 Touch Digital Timer (Touch Control)



Includes a digital timer that switches off the oven when the food is ready.
Available in 5 or 6 cooking zones.

Electric	Gas	Dual Fuel	Mix
✓	N/A	✓	N/A

3 Touch Digital Reminder (Touch Control)



Sets oven function and temperature with knobs.
No timer for simplified operation.

Electric	Gas	Dual Fuel	Mix
N/A	✓	N/A	✓

Digital Timer Color Options

White



(Standard)

Amber



(Optional)

Blue



(Optional)

Control Panel Selections

50x60cm Single Cooker

Analog Timer



Combines knobs and analog control for time, function and temperature settings.
Equipped with a digital timer for advanced timing options.
Control serigraphy on the panel enhances usability.

Electric	Gas	Dual Fuel	Mix
✓	✓	✓	✓

60x60cm Single Cooker



Combines knobs and analog control for time, function and temperature settings.
Equipped with a digital timer for advanced timing options.
Control serigraphy on the panel enhances usability.

Electric	Gas	Dual Fuel	Mix
✓	✓	✓	✓

90x60cm Single Cooker



Combines knobs and analog control for time, function and temperature settings.
Equipped with a digital timer for advanced timing options.
Control serigraphy on the panel enhances usability.

Electric	Gas	Dual Fuel	Mix
✓	✓	✓	✓

Oven Section



Oven Control Panel Function Selections

We offer a variety of control panel function options to suit every need. From basic configurations like Standard Heating to the highly advanced Ultimate Multi-Function Control, our range ensures you can find the perfect match. Each control panel type is customizable in both standard and rustic designs, allowing you to tailor the look to your preference.


Electric Single Ovens

3 Functions (Standard)



- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)

5 Functions (Optional)




- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)
- Fan Assisted Cooking
- Bottom Heating Element + Fan

9 Functions (Optional)



- Light
- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)
- Fan Assisted Cooking
- Grill
- Grill + Fan
- Turbo + Fan (Convection)
- Fan (Defrost)

4 Functions (Optional)



- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)
- Grill

6 Functions (Optional)



- Fan Assisted Cooking
- Top + Bottom Heating Element (Static)
- Top Heating Element
- Steam Assisted Cooking & Cleaning
- Grill
- Grill + Fan

Electric Double Ovens

0+1+2 Functions (Standard)




- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)

0+3 Functions (Optional)




- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)
- Expect for Digital Timer Option

0+1+3 Functions (Optional)



- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)
- Grill

0+4 Functions (Optional)



- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)
- Grill
- Expect for Digital Timer Option

Gas Ovens

One Knob Two Ways Control (Standard)



- Bottom Gas Brulor
- Top Gas Brulor
- FFD

One Knob Two Ways Control (Optional)



- Bottom Gas Brulor
- Thermostat
- FFD
- Switch
- Top Gas Brulor

One Knob Two Ways Control (Optional)



- Bottom Gas Brulor
- Top Gas Brulor
- Thermostat
- FFD
- Only for those with Push Button Ignition


Mix Ovens

One Knob Two Ways Control (Standard)



- Bottom Gas Brulor
- FFD
- Grill
- Switch
- Only for those with Push Button Ignition

Two Knobs Two Ways Control (Optional)



- Bottom Gas Brulor
- Top Gas Brulor
- Thermostat
- FFD
- Switch
- Grill
- Light
- Automatic Ignition Mandatory

Heating Elements


Top Heating Element




Top Heating Element + Grill




Top Gas Brulor



Bottom Heating Element



Bottom Gas Brulor



Ring Element



Drawers

Drawers provide convenient storage, keeping cookware and kitchen supplies organized and easily accessible. They not only improve the functionality of the kitchen but also enhance its style, available in two designs: standard and flap.




Flap Drawer (Standard)





Drawer (Optional)

Oven Door Features





TouchSafe Door (Triple Glazed Door with Low-e)

Even under high temperature, the exterior of the door stays cool, providing protection against accidental burns for the user and their family.




Removable Glass

The oven door glass can be easily removed and installed, simplifying cleaning and maintenance.



Removable Door

By turning the hinge latches up, the door can be easily removed and reinstalled, allowing for easy cleaning of both the door and the inside of the oven.



Instant Wipe Clean



The interior door glass features a low maintenance coating. A quick swipe with a damp cloth and cleaning solution keeps it clean.



Gentle Soft Close

With their soft, smooth closing, these oven doors express luxury, effortlessly enhancing the kitchen experience for the user.


Door Types



Cavity Color Options


Electric Single Ovens

Shiny Black




(Standard)

Grey



(Optional)


Navy Blue



(Optional)

Light Options


Lighten the user's cooking with our sleek and efficient oven lamps, available in three designs: Round, Square, and Double Square.





Round Light



Square Light




Double Square Light



Rack Options

Diverse cavity rack types, crafted for easy handling for the user, offer quick tool-free installation and removal, enhancing kitchen functionality, and adaptability for evenly cooking.

Embossed (5)



(Standard)

Wire Rack (6)



(Optional)

Wire Rack (12)



(Optional)


Wire Rack (15)




(Optional)

Telescopic Shelves

Half Extension Telescopic Shelves



Full Extension Telescopic Shelves



The shelves enable easy removal of hot trays or pans from the oven. Benefits include:

Smooth Glide:

Effortless access with telescopic rails.

Safety First:

Locking system ensures secure placement.

Easy Installation:

Tool-free setup and adjustable levels.

Stability Guaranteed:

Stable support for heavy dishes.

Built to Last:

Durable materials, available in single and double configurations.



Single Telescopic Shelf




Double Telescopic Shelf

Technologies




Cooking Technologies



Steam Assisted Cooking Mastery

Steam Assisted Cooking Mastery uses the perfect steam balance for even cooking, tender inside, and crisp outside. Ideal for breads, roasts, and veggies, it preserves flavor and cuts oil use.





High Heat Cooking

The High Heat Cooking function is designed to bake pizzas at high temperatures, producing crispy crusts and deliciously melted toppings for an authentic pizzeria taste.




Pizza Set (Optional)





Air Fry

This technology circulates hot air for even cooking and great frying results. Cut down on oil for healthier meals, perfect for fries, meats, and veggies.



Air Fry Tray (Optional)




Evenly Cooking Technology

This feature ensures uniform heat distribution throughout the oven, eliminating hot spots and providing consistent cooking results across all dishes.



Cleaning



Steam Clean Ease

This technology uses steam to loosen residues inside the oven, making it easier to wipe away grime and spills and simplifying the cleaning process.





Easy Clean Enamel

Enamel coating resists rust and stains, providing a non-porous surface for easy cleaning.

Catalytic Panels

Catalytic Principle


Catalytic liners contain an oxidizing agent that breaks down organic material. They capture and burn off food particles and grease during cooking, making cleaning easier.




Catalytic Clean Ease

Catalytic liners absorb and oxidize grease, making cleaning effortless. Once the oven cools, simply wipe it with a soft cloth.

Back Panel




(Optional)




Back Panel in Catalytic Enamel

Back & Side Panels



(Optional)



Side Panels and Back Panel in Catalytic Enamel



Functions





Icon Serigraphy Set

Tectone offers a wide range of oven functions for static, fan-assisted, and multifunction ovens. Our clients can choose oven serigraphy according to their styles.

	Oven Light Allows you to view your cooking progress and aids in cleaning.		Air Fry The ring element, fan and the bottom element are active simultaneously.
	Defrost Only fan is active.		Rotisserie Chicken The central zone of the top element and fan are operating.
	Bottom Element Activates the bottom element. Ideal for adding crispyness at the bottom of the meal.		3D All components, including the top, bottom, ring element, and fan, are active at once.
	Top Element Activates the outer top element. It's ideal for Browning Pastries.		Steam Assisted Cooking and Cleaning Steam ensures even baking and helps clean the oven's interior.
	Top + Bottom Element (Static) Ideal for traditional static cooking on one shelf only.		Manual Timer Deactivates the timer to allow the hobs to be used independently of the oven.
	Fan Assisted Cooking Distributes heat evenly throughout the oven with the fan.		Time Mode Button Displays the current time on the control panel.
	Bottom Element + Fan Ideal for completing the cooking process.		Manual Time Allows adjustment of the current time displayed on the control panel.
	Turbo + Fan (Convection) The ring element and the fan are operating.		Timer Function Button Sets cooking durations for precise cooking control.
	Fan The fan is operating.		Time Plus Button Increases the cooking time as needed.
	Grill The central zone of the top element is active.		Time Minus Button Decreases the cooking time as required.
	Top Element + Grill Activates both the inner and outer top elements.		Time Bell Button Activates or deactivates the alarm.
	Grill + Fan The fan and the central zone of the top element are active.		Lock Locks the system to prevent accidental changes, ensuring safety and maintaining settings during cleaning.
	Grill + Turbo + Fan The central zone of the top element, the ring and the fan are all active.		Temperature Sets the desired cooking temperature.




Icon Serigraphy Sets

Tectone offers a wide range of serigraphy designs for its clients.


Rustic (Awox)




OEM Rustic




OEM 02




OEM 03



OEM 06







Product Design

Custom Design Solutions by Awox

At Awox, we specialize in providing extensive design options tailored to meet your specific needs. As a leading ODM home products provider, we deliver products that match your exact specifications, offering a wide variety of colors and accessories. Our commitment to diversity in design ensures that every product is as unique as your brand, crafted with precision and care.

Main Customization Metal Add-on

90x60cm Single and Double Cookers

U Type:

15mm + 15mm



Mono-Bottom:

55mm



I Type:

15mm + 15mm



60x60cm Single and Double Cookers

U Type:

30mm + 30mm + 55mm



Mono - Bottom:

55mm



I Type:

30mm + 30mm



50x60cm Single and Double Cookers

I Type:

30mm + 30mm



Design & Color Options

Inox



Shiny Black



White



Anthracite



Accessories

90x60cm



25mm Tray (Standard)



55mm Tray (Optional)



85mm Tray (Optional)



Wire Rack (Standard)



Thick Wire Rack (Optional)



Rotisserie Spit and Fork (Optional)



Pizza Set (Optional)




60x60cm



25mm Tray (Standard)



55mm Tray (Optional)



85mm Tray (Optional)




Wire Rack (Standard)



Thick Wire Rack (Optional)



Airfry Tray (Optional)



Rotisserie Spit and Fork (Optional)



Pizza Set (Optional)




50x60cm



25mm Tray (Standard)



55mm Tray (Optional)



85mm Tray (Optional)




Wire Rack (Standard)



Thick Wire Rack (Optional)



Airfry Tray (Optional)



Rotisserie Spit and Fork (Optional)




Pizza Set (Optional)




Knobs

90x60 Single Cookers


Knob 9001:
Black




Knob 9002:
Black




Knob 9003:
Black




Knob 9004:
Black




Knob 9005:
Black




Knob 9006:
Black




Knob 9007:
Black




Knob 9008:
Black



Knob 9009:
Black




Knob 9010:
Black




60x60 and 50x60cm Single and Double Cookers


Knob 605001:
Black




Knob 605002:
Black




Knob 605003:
Black




Knob 605004:
Black




Knob 605005:
Black




Knob 605006:
Black



Knob 605007:
Black



Knob 605008:
Black




Handles

50x60 Single and Double Cookers


Handle 01

(Standard)



Handle 02

(Optional)



Rustic Handle



Lid Types

Transparent Top Glass Lid

(Optional)



Top Glass Lid with Aluminium Frame

(Optional)




Fume Top Glass Lid

(Optional)



Adjustable Screw Feet



Opened: 48mm


Closed: 23mm

Splashback






Gas Hobs




Burner Types

Aux Burner




1000 W

Semi Rapid Burner




1750 W

Rapid Burner




2900 W

Wok Burner



3800 W / 4600 W
(Optional)



4000 W
Brass Back Cover (Optional)

Burner Caps

Cast Iron 3D Burner Cap




(Optional)

Cast Iron Flat Burner Cap




(Optional)

Enamel 3D Burner Cap



(Standard)


Enamel Flat Burner Cap



(Standard)

Pan Support Adapters

Cast Iron Wok Adapter




(Optional)

Enamel Wok Adapter



(Optional)

Enamel Coffee Support



(Optional)


Pan Support Types

Cast Iron Pan Support


(Optional)



Gas Burner




Wok Burner




HP + Gas

Enamel Pan Support


(Standard)



Gas Burner



Wok Burner




HP + Gas


Gas Hob Selections

Available in Single Cookers

90x60cm



5 Gas Burner Wok Middle (3800 W) (Standard)
5 Gas Burner Wok Middle (4600 W) (Optional)
Aux Burner (1000 W)
Semi-Rapid Burner (1750 W) (Standard x2)
Rapid Burner (2900 W)
Wok Burner (4000 W)



5 Gas Burner Wok Left Side (3800 W) (Optional)
5 Gas Burner Wok Left Side (4600 W) (Optional)
Aux Burner (1000 W)
Semi-Rapid Burner (1750 W) (Standard x2)
Rapid Burner (2900 W)
Wok Burner (4000 W)

60x60cm

Available in both Double and Single Cookers



4 Gas Burner (3800 W) (Standard)
4 Gas Burner (4600 W) (Optional)
Aux Burner (1000 W)
Semi-Rapid Burner (1750 W) (Standard x2)
Rapid Burner (2900 W)
Wok Burner (4000 W)



4 Gas Burner (3800 W) (Standard)
Aux Burner (1000 W)
Semi-Rapid Burner (1750 W) (Standard x2)
Rapid Burner (2900 W)

50x60cm

Available in both Double and Single Cookers




4 Gas Burner (3800 W) (Standard)
Aux Burner (1000 W)
Semi-Rapid Burner (1750 W) (Standard x2)
Rapid Burner (2900 W)



Electric Hobs

VTC Heating Elements

Ø145 Single VTC



1200 W

Ø180 Single VTC



1800 W

Ø180 Double VTC



1700 W

Ø230 Single VTC



2300 W

Ø230 Double VTC



2100 W

Ø270 Oval Dual VTC



1800 W

Hotplate Heating Elements

Standard Hotplate



Ø 145cm 1000 W
Ø 180cm 1500 W

Rapid Hotplate




Ø 145cm 1500 W
Ø 180cm 2000 W

Electric Hob Selections

Double and Single Electric Cookers

90x60cm



6 Cooking Zones:
 Single HL 1200 W (Standard x2)
 Single HL 1800 W (Standard x2)
 Oval Dual 1800 W + 1000 W (Standard)
 Double HL 1700 W + 700 W (Optional)

60x60cm




4 Cooking Zones:
 Single HL 1200 W (Standard x2)
 Single HL 1800 W (Standard x2)
 Double HL 1700 W + 700 W (Optional)



4 Cooking Zones:
 Single HL 1800 W (Standard x2)
 Oval Dual 1800 W + 1000 W (Standard)
 Double HL 1700 W + 700 W (Optional)




3 Cooking Zones:
 Single HL 1200 W (Standard)
 Single HL 1800 W (Standard x2)
 Double HL 1700 W + 700 W (Optional)



4 Cooking Zones:
 Standard HP 1000 W (Standard x2)
 Standard HP 1500 W (Standard x2)
 Rapid HP 1500 - 2000 W (Optional)

50x60cm



4 Cooking Zones:
 Single HL 1200 W (Standard x2)
 Single HL 1800 W (Standard x2)
 Double HL 1700 W + 700 W (Optional)



3 Cooking Zones:
 Single HL 1200 W (Standard)
 Single HL 1800 W (Standard x2)
 Double HL 1700 W + 700 W (Optional)



Dual Fuel Hobs



Dual Fuel Hob Selections

Double and Single Electric Cookers

90x60cm


Available in Electric, Gas, Dual Fuel and Mix Cooker



6 Cooking Zones:
4 Gas Burners and Cooking Zone Electric
Ovens Oval Dual: (N/A) Double HL:
(Standard) Single HL: 1200 W (Standard)
Single HL: 1800 W (Optional)



6 Cooking Zones:
4 Gas Burners and 2 Cooking Zone Electric
Ovens Oval Dual: (Standard) Double HL:
(Standard) Single HL: 1200 W (Standard)
Single HL: 1800 W (Optional)



6 Cooking Zones:
4 Gas Burners and 1 Hotplate
Standard Hotplate: 1800 W (standard)
Rapid Hotplate: 1500 - 2000 W (optional)

60x60cm

Available in Electric, Gas, Dual Fuel and Mix Cooker



4 Cooking Zones:
3 Gas Burners and 1 Hotplate
Aux Burner: 1000 W (Standard)
Semi-Rapid Burner: 1750 W (Standard)
Rapid Burner: 2900 W (Standard)
Rapid Hotplate: 1500 - 2000 W (Optional)




4 Cooking Zones:
2 Gas Burners and 2 Hotplate
Aux Burner: 1000 W (Standard)
Semi-Rapid Burner: 1750 W (Standard)
Rapid Burner: 2900 W (Standard)
Rapid Hotplate: 1500 - 2000 W (Optional)
Standard Burner: 1000 W (Standard x2)




4 Cooking Zones:
2 Gas Burners and 2 Hotplate
Aux Burner: 1000 W (Standard)
Semi-Rapid Burner: 1750 W (Standard)
Rapid Burner: 2900 W (Standard)
Rapid Hotplate: 1500 - 2000 W (Optional)
Standard Burner: 1000 W (Standard x2)

50x60cm

Available in Electric, Gas, Dual Fuel and Mix Cooker



4 Cooking Zones:
3 Gas Burners and 1 Hotplate
Aux Burner: 1000 W (Standard)
Semi-Rapid Burner: 1750 W (Standard)
Rapid Burner: 2900 W (Standard)
Rapid Hotplate: 1500 - 2000 W (Optional)



4 Cooking Zones:
2 Gas Burners and 2 Hotplate
Aux Burner: 1000 W (Standard)
Semi-Rapid Burner: 1750 W (Standard)
Rapid Burner: 2900 W (Standard)
Rapid Hotplate: 1500 - 2000 W (Optional)
Standard Burner: 1000 W (Standard x2)



4 Cooking Zones:
2 Gas Burners and 2 Hotplate
Aux Burner: 1000 W (Standard)
Semi-Rapid Burner: 1750 W (Standard)
Rapid Burner: 2900 W (Standard)
Rapid Hotplate: 1500 - 2000 W (Optional)
Standard Burner: 1000 W (Standard x2)

Ranger Cooker Hobs



Gas Hob Selections

•The R&D process is currently ongoing.

90cm



5 Gas Burner Wok Middle (3800 W) (Standard)
5 Gas Burner Wok Middle (4600 W) (Optional)
Aux Burner (1000 W)
Semi-Rapid Burner (1750 W) (Standard x2)
Rapid Burner (2900 W)

100cm




5 Gas Burner Wok Middle (3800 W) (Standard)
5 Gas Burner Wok Middle (4600 W) (Optional)
Aux Burner (1000 W)
Semi-Rapid Burner (1750 W) (Standard x2)
Rapid Burner (2900 W)

110cm



• The R&D process is currently ongoing.

120cm



• The R&D process is currently ongoing.


Rustic Ranger Cooker Hobs



Gas Hob Selections


- The R&D process is currently ongoing.

90cm




5 Gas Burner Wok Middle (3800 W) (Standard)
5 Gas Burner Wok Middle (4600 W) (Optional)
Aux Burner (1000 W)
Semi-Rapid Burner (1750 W)
Rapid Burner (2900 W) (Standard x2)

100cm



5 Gas Burner Wok Middle (3800 W) (Standard)
5 Gas Burner Wok Middle (4600 W) (Optional)
Aux Burner (1000 W)
Semi-Rapid Burner (1750 W) (Standard x2)
Rapid Burner (2900 W)

110cm



- The R&D process is currently ongoing.

120cm



- The R&D process is currently ongoing.

Packaging Types

Shrink

(Standard)



90x60cm



60x60cm



60x60cm Double



50x60cm



50x60cm Double

CONTAINER LOADING

20DC (std. Packaging) (pcs)
40HC (std. Packaging) (pcs)
Truck (86m³)

36
108
126

48
108
144

48
108
120

70
144
144

70
144
120

Brown Box

(Optional)



90x60cm



60x60cm



60x60cm Double



50x60cm



50x60cm Double

CONTAINER LOADING

20DC (std. Packaging) (pcs)
40HC (std. Packaging) (pcs)
Truck (86m³)

36
108
126

48
108
144

48
108
120

70
144
144

70
144
120

Colored Box

(Optional)



90x60cm



60x60cm



60x60cm Double



50x60cm



50x60cm Double

CONTAINER LOADING

20DC (std. Packaging) (pcs)
40HC (std. Packaging) (pcs)
Truck (86m³)

36
108
126

48
108
144

48
108
120

70
144
144

70
144
120



Connected with you,
Shaped By  **Tectone**

HQ

Mehmet Akif Mahallesi Bahariye Caddesi
Çam Sokak No:51/5 İkitelli
K.Çekmece / İstanbul,
TÜRKİYE
export@tectone.com.tr

Mersin Factory

Organize Sanayi Bölgesi Tarsus
Mersin,
TÜRKİYE
export@tectone.com.tr

Çerkezköy Factory

Karaağaç, 8. Sk. No: 8, 59510 Kapaklı Tekirdağ
TÜRKİYE
export@tectone.com.tr

Lüleburgaz Factory

Evrensekiz Cd., No: 7/1, 39750 Sakızköy
Lüleburgaz / Kırklareli,
TÜRKİYE
export@tectone.com.tr

www.tectone.com.tr

All designs and images in this catalog are the exclusive property of Tectone. We reserve the right to modify technical data, design, and colors of individual appliances, and all other information contained within this brochure without notice. Due to variables in the reproduction process, the colors of actual products may vary slightly from those depicted. Unauthorized use, reproduction, or distribution of these designs and images is strictly prohibited. All rights reserved.

AWOX™

Connected with you,
Shaped By  *Tectone*

