

2025

AWOX™

Mini Oven Catalogue



Shaped By Tectone



Welcome to Tectone, where innovation meets legacy. Embarking on one of Türkiye's most ambitious standalone projects, we've set out to redefine the home appliance manufacturing sector. Starting from scratch, Tectone carries the weight of a grand vision - to transform homes globally with a full range unparalleled products. Our endeavor isn't just about scale or sophistication; it's about reshaping everyday experiences. And, while our journey might be new, our foundation is robust, backed by Can Holding, one of Türkiye's paramount corporate giants.

Dive in, and discover the Tectone difference.

- **2,000,000 m2** total indoor space (in 3 different locations)
- Adding value with **14.000+** team members all around globe
- **44 million** units production capacity (annual)
- **Worldwide** markets




What We Offer?


Tectone delivers unparalleled efficiency, wide product range, and assured quality in home appliance manufacturing. Partner with us for a seamless, optimized business experience.




Wide Product
Range from
Single Entity




Comprehensive
In-house
Manufacturing



Logistic Cost
Advantage



2% FoC Spare Parts
of Total Invoice
Amount (Worldwide)




OEM & ODM
Digital Design
Marketing Support



Optimized Quality
Assurance



Optimized Lead Time
Guarantee



Product Configuration
Freedom



Strong After Sales
Support

Mini Ovens



Product Family	7
Features & Options	9
Product Design	17
Color Options	20
Accessories	31
Packaging Types	33

Product Family



Oven Types

70L



- 611 x 511 x 400 mm
- 175 pcs. Shrink (20DC)
- 370 pcs. Shrink (40DC)
- 444 pcs. Shrink (40HC)

60L



- 611 x 511 x 384 mm
- 175 pcs. Shrink (20DC)
- 370 pcs. Shrink (40DC)
- 444 pcs. Shrink (40HC)

45L



- 575 x 483 x 317 mm
- 228 pcs. Shrink (20DC)
- 492 pcs. Shrink (40DC)
- 588 pcs. Shrink (40HC)

45L 3HP



- 575 x 483 x 317 mm
- 228 pcs. Shrink (20DC)
- 492 pcs. Shrink (40DC)
- 588 pcs. Shrink (40HC)

45L 2HP



- 575 x 483 x 341 mm
- 228 pcs. Shrink (20DC)
- 492 pcs. Shrink (40DC)
- 588 pcs. Shrink (40HC)

35L



- 510 x 442 x 292 mm
- 340 pcs. Shrink (20DC)
- 714 pcs. Shrink (40DC)
- 840 pcs. Shrink (40HC)

35L 2HP



- 510 x 442 x 292 mm
- 300 pcs. Shrink (20DC)
- 650 pcs. Shrink (40DC)
- 735 pcs. Shrink (40HC)

25L



- 445 x 412 x 262 mm
- 461 pcs. Shrink (20DC)
- 976 pcs. Shrink (40DC)
- 1100 pcs. Shrink (40HC)

Features & Options



Control Panel Selections

4 Knob Control Panel (Standard)



Available in only 45L , 60L & 70L.

4 Knob Control Panel (Pop-Up)



Available in only 45L , 60L & 70L.

3 Knob Control Panel (Standard)



Available in all product range.

3 Knob Control Panel (Pop-Up)



Available in only 45L , 60L & 70L.

2 Knob + Digital Timer Control Panel (Standard)



Available in all product range.

2 Knob + Digital Timer Control Panel (Pop-Up)



Available in all product range.

Single Knob + Digital Timer Control Panel



Available in all product range.


Full Touch Display Control Panel



Available in all product range.


Digital Timer Color Options

White



(Optional)

Amber



(Standard)

Control Panel Function Selections

We offer a variety of control panel function options to suit every need. From basic configurations like Standard Heating to the highly advanced Ultimate Multi-Function Control, our range ensures you can find the perfect match. Each control panel type is customizable in both standard and rustic designs, allowing you to tailor the look to your preference.

3 Functions



- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)

4 Functions



- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)
- Grill

5 Functions



- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)
- Top + Bottom Heating Element + Fan
- Bottom Heating Element + Fan

6 Functions



- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)
- Bottom Heating Element + Fan
- Grill
- Grill + Fan

6 Functions (Rotisserie Chicken)



- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static)
- Bottom Heating Element + Fan
- Rotisserie Chicken
- Grill + Fan



On models with 3 HP, this switch is used to control the hotplates.

On models with 2 HP or fewer models, it operates the rotisserie chicken function.

Features



Easy to Clean

The oven door features an easy-to-clean glass surface, letting you wipe away fingerprints, grease, and splashes effortlessly—available exclusively on our 60L and 70L ovens.




Multi-Stage Door Opening

The oven door is designed to stay securely open at 15°, 45°, and 100°, making it easier to insert or remove trays with both hands free. This thoughtful feature also prevents hot air from escaping directly towards you, ensuring a safer and more comfortable cooking experience.



Rear Panel

Placed before the rear wall, this durable panel safeguards against excess heat, providing protection across enamel oven models.



Tray Lock Mechanism


The secure tray lock ensures safe and stable placement of trays during cooking, preventing spills and making it easier to handle heavy dishes with confidence.

Cavity Options



Safety Cover

The heating elements are protected by a perforated safety cover that prevents accidental contact while allowing optimal airflow. Its perforated design ensures safe and consistent heat circulation for efficient cooking.




Reflector Panel

The Reflector Panel enhances heat distribution by directing energy towards the cooking chamber, ensuring faster and more even cooking results. Standard in 35L models, this feature is available as an optional upgrade in other capacities.



Diamond Effect

Featuring a unique diamond-patterned interior, this design detail adds a modern, stylish touch to your oven, making it look as good as it performs.



Removable Crumb Tray

Available exclusively on our 25L and 35L mini ovens, the removable crumb tray helps keep your oven clean with minimal effort. Simply slide it out to dispose of crumbs and spills in seconds.




Interior Light

A built-in interior light allows you to easily monitor your dishes while cooking, providing clear visibility without opening the oven door.




Fan

Located on the right panel, the fan ensures even air circulation inside the oven. This provides uniform heat distribution for consistent cooking results across all dishes.




Grill Resistance

Perfect for achieving golden, crispy finishes, the grill resistance delivers intense top heat for roasting, toasting, and gratinating. Ideal for everything from perfectly browned casseroles to deliciously crisp vegetables and meats.



Rotisserie Chicken

With the rotisserie spit accessory, enjoy evenly roasted, juicy chicken at home. The rotating rod ensures golden, crispy skin and tender meat every time.



Quartz Resistance

Equipped with quartz heating, 35L mini ovens provide rapid, consistent heat for uniform cooking and perfectly crisp finishes on dishes like chicken.


Cavity Color Options

Black Enamel



(Standard)

Galvanized



Available in 25 & 35L Mini Ovens

Rack Options

Diverse cavity rack types, crafted for easy handling for the user, offers quick tool-free installation and removal, enhancing kitchen functionality, and adaptability for evenly cooking.

25L, 35L & 45L Mini Ovens

Embossed (3)



(Standard)

60L & 70L Mini Ovens

Embossed (4)



(Standard)






Product Design

Custom Design Solutions by Awox

At Awox, we specialize in providing extensive design options tailored to meet your specific needs. As a leading ODM home products provider, we deliver products that match your exact specifications, offering a wide variety of colors and accessories. Our commitment to diversity in design ensures that every product is as unique as your brand, crafted with precision and care.


Glass Door Types

70L & 60L



Double Glazed Door with Low-e

On our 60L and 70L mini ovens, the glass door can be easily removed for thorough cleaning,




Single Glazed Door with Low-e

On our 60L mini ovens, the glass door is available in a single-glass option.




45L



Single Glazed Door with Low-e

45L mini oven is available with a single glass door.




Double Glazed Door with Low-e

45L mini oven also comes with a double glass door option




35L




Single Glazed Door with Low-e

45L mini oven is available with a single glass door.



25L



Single Glazed Door with Low-e

45L mini oven is available with a single glass door.



Door Types

Vertical Add-On /70 & 60L



Horizontal Add-On / 60L



Vertical Add-On 45L



Horizontal Add-on Options / 45L



35L



Horizontal Add-on/25L



Top Body Options



OEM 1



OEM 2



OEM 3

Models with Hotplate

45L Mini Oven



3HP



2HP

35L Mini Oven



2HP

Hot Plate Options



Ø180cm 1500 W
3 Levels



Ø145 1000 W
3 Levels



Ø90 450 W

Color Options

Baby Blue



Rose Gold



Retro Green



Red



White



Inox Gray



Brushed Inox



Black



SS430 Duplo
(Satin / Double-polished)

Knob Options

Standard Knobs

MD-1



White



Black

MD-2



White



Black

MD-3



White




Black

MD-4



White



Black

MD-5



White



White Inox Cap



White Inox Cap



MD-6



White



Black

Pop-Up Knobs

PP1



PP2



White



White



PP3



PP4



PP5



PP6



Pop-Up Knobs

RD-1 Beige



Copper



Chrome



Brass



Antique Brass

RD-1 Black



Copper



Chrome




Brass



Antique Brass


RD-2 Beige



Copper




Chrome



Brass



Antique Brass

RD-2 Black

Copper



Chrome



Brass



Antique Brass

RD-3

Copper




Chrome




Brass




Antique Brass

RD-4

Copper



Chrome



Brass



Antique Brass

RD-5

Copper



Chrome



Brass




Antique Brass


Handle Options

Standard Handles


Handle 01




Handle 02



Handle 03




Handle 04




Handle 05




Handle 06




Handle 07




Handle 08




Handle 09



Handle 10



Handle 11



RK1 Copper



RK1 Chrome



RK1 Brass



RK1 Antique Brass




RK2 Copper



RK2 Chrome



RK2 Brass



RK2 Antique Brass



RK3 Copper



RK3 Chrome



RK3 Brass



RK3 Antique Brass




RK4 Copper



RK4 Chrome



RK4 Brass



RK4 Antique Brass




Accessories




Round Tray (Optional)



Square Tray (Optional)




Airfry Tray (Optional)



Airfry Grill (Optional)




Wire Rack (Standard)




Rotisserie Spit Drum (Optional)




Rotisserie Spit Drum with Handle (Optional)




Rotisserie Spit and Fork (Optional)




Rotisserie Spit and Fork Handle (Optional)



Cooking Drum (Optional)



Cooking Drum with Handle (Optional)



Baguette Baking Tray (Optional)



Pizza Tray (11") / (Optional)

Packaging Types

Colored Box (Optional)



70L



60L



45L

CONTAINER LOADING

20DC (std. Packaging) (pcs)
40DC (std. Packaging) (pcs)
40HC (std. Packaging) (pcs)

175
370
444

175
370
444

228
492
588



35L



25L

20DC (std. Packaging) (pcs)
40DC (std. Packaging) (pcs)
40HC (std. Packaging) (pcs)

340
714
840

461
976
1100



Connected with you,
Shaped By  **Tectone**

HQ

Mehmet Akif Mahallesi Bahariye Caddesi
Çam Sokak No:51/5 İkitelli
K.Çekmece / İstanbul,
TÜRKİYE
export@tectone.com.tr

Mersin Factory

Organize Sanayi Bölgesi Tarsus
Mersin,
TÜRKİYE
export@tectone.com.tr

Çerkezköy Factory

Karaağaç, 8. Sk. No: 8, 59510 Kapaklı Tekirdağ
TÜRKİYE
export@tectone.com.tr

Lüleburgaz Factory

Evrensekiz Cd., No: 7/1, 39750 Sakızköy
Lüleburgaz / Kırklareli,
TÜRKİYE
export@tectone.com.tr

www.tectone.com.tr

All designs and images in this catalog are the exclusive property of Tectone. We reserve the right to modify technical data, design, and colors of individual appliances, and all other information contained within this brochure without notice. Due to variables in the reproduction process, the colors of actual products may vary slightly from those depicted. Unauthorized use, reproduction, or distribution of these designs and images is strictly prohibited. All rights reserved.

AWOX™

Connected with you,
Shaped By  *Tectone*

