



2025

Refrigerators and Freezers



Welcome to Tectone



Welcome to Tectone, where innovation meets legacy. Embarking on one of Türkiye's most ambitious stand alone projects, we've set out to redefine the home appliance manufacturing sector. Starting from scratch, Tectone carries the weight of a grand vision - to transform households globally with full range paralleled products. Our endeavor isn't just about scale or sophistication; it's about reshaping everyday experiences. And, while our journey might be new, our foundation is robust, backed by Can Holding; one of Türkiye's paramount corporate giants.

Dive in, and discover the Tectone difference.

- **2,000,000 m2** total indoor space (in 3 different locations)
- Adding value with **14.000+** team members all around globe
- **44 million** units production capacity (annual)
- **Worldwide** markets



What We Offer?


Tectone delivers unparalleled efficiency, wide product range, and assured quality in home appliance manufacturing. Partner with us for a seamless, optimized business experience.




Wide Product
Range from
Single Entity




Comprehensive
In-house
Manufacturing



Logistic Cost
Advantage



2% FoC Spare Parts
of Total Invoice
Amount (Worldwide)




OEM & ODM
Digital Design
Marketing Support




Optimized Quality
Assurance



Optimized Lead Time
Guarantee



Product Configuration
Freedom



Strong After Sales
Support

Work with Us!



The background image is a photograph of a modern building with large glass windows, situated in a forest. The building is illuminated from within, showing interior furniture like a piano and chairs. In the foreground, there are large, dark, mossy rocks and a body of water. The overall scene is dimly lit, suggesting dusk or dawn.

Sustainability is in the Core of Our Business.

At Tectone, sustainability is an integral part of our operations, guiding every decision we make. We are steadfast in our commitment to fulfilling the needs of today while ensuring a thriving planet and prosperous communities for tomorrow.

Shaping a Sustainable Tomorrow with Every Step We Take



Environmental
Responsibility



Empowering
Workplaces



Innovation
Centric Approach



Efficient
Manufacturing



Sustainable
Packaging
and Logistics



Collaborative
Initiatives

Our Vision


Becoming a globally recognized brand; Tectone is on a mission to enhance lives and safeguard our planet. We are committed to sustainability, ensuring our appliances are accessible to everyone, and meticulously crafted to blend functionality, design, and value.

1



Circular
Economy Plan

2



Net-Zero
Execution

3



Eco-Friendly
Products Action

Refrigerators and Freezers



Refrigerators

Multidoors 8

Freezers

Bottom Freezer 18

Top Freezer 26

Handles 35

Upright Freezer 36

Chest Freezer 50

Packaging Types 68

Multi Door Models



Multi Door Refrigerators

G91585NE



Technical Data

External Dimensions (WxDxH); 908 x 732 x 1830
Box Dimensions (WxDxH); 980 x 777 x 1895
Total Volume (Net) (Lt); 587.5
Fresh Food Compartment Volume(Net); 403
Freezer Compartment Volume(Net); 184.5
Loading Quantity/40ft HC Container(pcs); 36

Color Options

- | | | |
|-------|-----------|-----------|
| | | |
| White | Black | Silver |
| | | |
| Inox | Dark Inox | Inox Look |

Features


- No Frost
- Multicooling Tech
- Door Alarm
- Holiday Mode
- IOT
- Fast Cool
- Fast Freeze
- Door Handle Led Light
- Flame Retardant Back
- Ionizer
- Fresh Air Tech
- Electronic Temp. Control
- Display Screen
- 1 Gallon Bottle Fit On The Door
- Blue Light Technology
- Tempered Glass Shelves
- Hotstamp Printed Door Shelves & Drawers
- Humidity Controlled Vegetable Drawers



No Frost



Fast Cool



Fast Freeze




Freezer or Cooler



IOT

G91551NE



Technical Data

External Dimensions (WxDxH); 908 x 712 x 1790
 Box Dimensions (WxDxH); 980 x 757 x 1855
 Total Volume (Net) (Lt); 550
 Fresh Food Compartment Volume(Net); 359
 Freezer Compartment Volume(Net); 191
 Loading Quantity/40ft HC Container(pcs); 36

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features


No Frost
 Multicooling Tech
 Door Alarm
 Holiday Mode
 IOT
 Fast Cool
 Fast Freeze
 Door Handle Led Light
 Water Dispenser Lighting
 Flame Retardant Back
 Crushed Ice
 Ionizer
 Water Filter Indicator
 Water and Ice Dispenser
 Electronic Temp. Control
 Display Screen
 Motor Driven Ice Maker
 Bar Compartment
 Blue Light Technology
 Tempered Glass Shelves
 Hotstamp Printed Door Shelves & Drawers
 Humidity Controlled Vegetable Drawers




No Frost



Fast Cool



Fast Freeze



Bar Compartment



IOT

Details


Bar Compartment



Fresh Air Technology



Blue Light Technology



G91550NE



Technical Data

External Dimensions (WxDxH); 908 x 712 x 1790
 Box Dimensions (WxDxH); 980 x 757 x 1855
 Total Volume (Net) (Lt); 550
 Fresh Food Compartment Volume(Net); 359
 Freezer Compartment Volume(Net); 191
 Loading Quantity/40ft HC Container(pcs); 36

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features


No Frost
 Multicooling Tech
 Door Alarm
 Holiday Mode
 IOT
 Fast Cool
 Fast Freeze
 Door Handle Led Light
 Water Dispenser Lighting
 Flame Retardant Back
 Crushed Ice
 Ionizer
 Water Filter Indicator
 Water and Ice Dispenser
 Electronic Temp. Control
 Touch Control
 Motor Driven Ice Maker
 Blue Light Technology
 Tempered Glass Shelves
 Hotstamp Printed Door Shelves & Drawers
 Humidity Controlled Vegetable Drawers




No Frost



Fast Cool



Fast Freeze



Water and Ice Dispenser



IOT

G91570NE



Technical Data

External Dimensions (WxDxH); 908 x 712 x 1790
Box Dimensions (WxDxH); 980 x 757 x 1855
Total Volume (Net) (Lt); 572
Fresh Food Compartment Volume(Net); 365,5
Freezer Compartment Volume(Net); 206,5
Loading Quantity/40ft HC Container(pcs); 36

Color Options



Features

- No Frost
- Multicooling Tech
- Door Alarm
- Holiday Mode
- IOT
- Fast Cool
- Fast Freeze
- Door Handle Led Light
- Flame Retardant Back
- Electronic Temp. Control
- Display Screen
- Blue Light Technology
- Tempered Glass Shelves
- Hotstamp Printed Door Shelves & Drawers
- Humidity Controlled Vegetable Drawers



No Frost




Door Alarm



IOT



Fast Cool



Fast Freeze

G91571NE



Technical Data

External Dimensions (WxDxH); 908 x 712 x 1790
 Box Dimensions (WxDxH); 980 x 757 x 1855
 Total Volume (Net) (Lt); 572
 Fresh Food Compartment Volume(Net); 365,5
 Freezer Compartment Volume(Net); 206,5
 Loading Quantity/40ft HC Container(pcs); 36

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features

No Frost
 Multicooling Tech
 Door Alarm
 Holiday Mode
 IOT
 Fast Cool
 Fast Freeze
 Door Handle Led Light
 Flame Retardant Back
 Ionizer
 Electronic Temp. Control
 Display Screen
 Blue Light Technology
 Tempered Glass Shelves
 Hotstamp Printed Door Shelves & Drawers
 Humidity Controlled Vegetable Drawers



No Frost




Door Alarm



IOT



Fast Cool



Fast Freeze

G83509NE



Technical Data

External Dimensions (WxDxH); 830 x 690 x 1830
Box Dimensions (WxDxH); 900 x 777 x 1895
Total Volume (Net) (Lt); 509
Fresh Food Compartment Volume(Net); 351
Freezer Compartment Volume(Net); 158
Loading Quantity/40ft HC Container(pcs); 39

Color Options



Features

No Frost
Multicooling Tech
Door Alarm
Holiday Mode
IOT
Fast Cool
Fast Freeze
Flame Retardant Back
Electronic Temp. Control
Display Screen
Motor Driven Ice Maker
Blue Light Technology
Tempered Glass Shelves
Hotstamp Printed Door Shelves & Drawers
Humidity Controlled Vegetable Drawers



No Frost




Door Alarm



IOT



Fast Cool



Fast Freeze

G83497NE



Technical Data

External Dimensions (WxDxH); 830 x 690 x 1830
 Box Dimensions (WxDxH); 900 x 777 x 1895
 Total Volume (Net) (Lt); 497
 Fresh Food Compartment Volume(Net); 339
 Freezer Compartment Volume(Net); 158
 Loading quantity/40ft HC Container(pcs); 39

Color Options



Features

No Frost
 Multicooling Tech
 Door Alarm
 Holiday Mode
 IOT
 Fast Cool
 Fast Freeze
 Water Dispenser Lighting
 Flame Retardant Back
 Ionizer
 Water Dispenser
 Electronic Temp. Control
 Display Screen
 Motor Driven Ice Maker
 Blue Light Technology
 Tempered Glass Shelves
 Hotstamp Printed Door Shelves & Drawers
 Humidity Controlled Vegetable Drawers



No Frost




Door Alarm



IOT



Fast Cool



Fast Freeze

Details

Water Dispenser



Blue Light Technology



Bottom Freezers



No Frost Refrigerators

K70511NE



Technical Data

External Dimensions (WxDxH); 700 x 753 x 1930
Box Dimensions (WxDxH); 760 x 850 x 1987
Total Volume (Net) (Lt); 511
Fresh Food Compartment Volume(Net); 356
Freezer Compartment Volume(Net); 155
Loading Quantity/40ft HC Container(pcs); 42

Color Options



Features

- No Frost
- Multicooling Tech
- Door Alarm
- Holiday Mode
- Fast Freeze
- Fast Cool
- Reversible Door
- Electronic Temp. Control
- Horizontal or Vertical Door Display Screen
- Rail with Crisper and Vegetable Drawer
- Tempered Glass Shelves
- Led Interior Light
- Adjustable Feet




No Frost



Door Alarm



Fast Cool



Fast Freeze

K70511NE



Vertical Display



Horizontal Display

Technical Data

External Dimensions (WxDxH); 700 x 753 x 1930
 Box Dimensions (WxDxH); 760 x 850 x 1987
 Total Volume (Net) (Lt); 511
 Fresh Food Compartment Volume(Net); 356
 Freezer Compartment Volume(Net); 155
 Loading Quantity/40ft HC Container(pcs); 42

Color Options



Features


No Frost
 Multicooling Tech
 Door Alarm
 Holiday Mode
 Fast Freeze
 Fast Cool
 Reversible Door
 Electronic Temp. Control
 Horizontal or Vertical Door Display Screen
 Rail with Crisper and Vegetable Drawer
 Tempered Glass Shelves
 Led Interior Light
 Adjustable Feet




No Frost



Door Alarm



Fast Cool



Fast Freeze

K70510NE



Technical Data

External Dimensions (WxDxH); 700 x 753 x 1930
Box Dimensions (WxDxH); 760 x 850 x 1987
Total Volume (Net) (Lt); 511
Fresh Food Compartment Volume(Net); 356
Freezer Compartment Volume(Net); 155
Loading Quantity/40ft HC Container(pcs); 42

Color Options



Features


- No Frost
- Multicooling Tech
- Door Alarm
- Fast Freeze
- Reversible Door
- Electronic Temp. Control
- Rail with Crisper and Vegetable Drawer
- Tempered Glass Shelves
- Adjustable Feet
- Led Interior Light




No Frost



Door Alarm



Fast Freeze



Reversible Door

K60336NE



Vertical Display



Horizontal Display

Technical Data

External Dimensions (WxDxH); 595 x 669 x 1875
 Box Dimensions (WxDxH); 655 x 767 x 1932
 Total Volume (Net) (Lt); 332,5
 Fresh Food Compartment Volume(Net); 222,5
 Freezer Compartment Volume(Net); 110
 Loading Quantity/40ft HC Container(pcs) ; 72

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features

No Frost
 Multicooling Tech
 Door Alarm
 Holiday Mode
 Fast Cool
 Fast Freeze
 Reversible Door
 Electronic Temp. Control
 Horizontal or Vertical Door Display Screen
 Rail with Crisper and Vegetables Drawer
 Tempered Glass Shelves
 Led Interior Light
 Adjustable Feet




No Frost



Door Alarm



Fast Cool



Fast Freeze

K60335NE



Technical Data

External Dimensions (WxDxH); 595 x 669 x 1875
Box Dimensions (WxDxH); 655 x 767 x 1932
Total Volume (Net) (Lt); 332,5
Fresh Food Compartment Volume(Net); 222,5
Freezer Compartment Volume(Net); 110
Loading Quantity/40ft HC Container(pcs) ; 72

Color Options



Features


- No Frost
- Multicooling Tech
- Door Alarm
- Fast Freeze
- Reversible Door
- Electronic Temp. Control
- Rail with Crisper and Vegetable Drawer
- Tempered Glass Shelves
- Adjustable Feet
- Led Interior Light



No Frost



Door Alarm



Fast Freeze



Reversible Door

Static Refrigerators

K60340SM



Technical Data

External Dimensions (WxDxH); 595 x 669 x 1862
 Box Dimensions (WxDxH); 655 x 750 x 1932
 Total Volume (Net) (Lt); 337
 Fresh Food Compartment Volume(Net); 222
 Freezer Compartment Volume(Net); 115
 Loading Quantity/40ft HC Container(pcs); 72

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features


Low Frost Static Cooling
 Reversible Door
 Mechanic Temp. Control
 Rail with Crisper and Vegetable Drawer
 Freezer Compartment Drawer
 Freezer Compartment Flap Tray (Opt.)
 Tempered Glass Shelves
 Adjustable Feet
 Led Bulb Interior Light



Low Frost



Temp. Control



Reversible Door

K60340SE



Technical Data

External Dimensions (WxDxH); 595 x 669 x 1875
Box Dimensions (WxDxH); 655 x 750 x 1932
Total Volume (Net) (Lt); 337
Fresh Food Compartment Volume(Net); 222
Freezer Compartment Volume(Net); 115
Loading Quantity/40ft HC Container(pcs); 72

Color Options



Features


- Low Frost Static Cooling
- Door Alarm
- Fast Freeze
- Reversible Door
- Electronic Temp. Control
- Rail with Crisper and Vegetable Drawer
- Tempered Glass Shelves
- Adjusted Feet
- Led Interior Light




Low Frost



Door Alarm




Fast Freeze



Reversible Door

Details



Top Freezers



No Frost Refrigerators

D70501NE



Vertical Display



Horizontal Display

Technical Data

External Dimensions (WxDxH); 700 x 753 x 1875
Box Dimensions (WxDxH); 760 x 850 x 1932
Total Volume (Net) (Lt); 500
Fresh Food Compartment Volume(Net); 373
Freezer Compartment Volume(Net); 127
Loading Quantity/40ft HC Container(pcs); 42

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features


No Frost
Multicooling Tech
Door Alarm
Fast Freeze
Reversible Door
Electronic Temp. Control
Horizontal or Vertical Door Display Screen
Rail with Crisper and Vegetable Drawer
Tempered Glass Shelves
Adjustable Feet
Led Interior Lights in Fridge and Freezer
Fast Cool



No Frost



Door Alarm



Fast Freeze



Reversible Door

D70500NE



Technical Data

External Dimensions (WxDxH); 700 x 753 x 1875
Box Dimensions (WxDxH); 760 x 850 x 1932
Total Volume (Net) (Lt); 500
Fresh Food Compartment Volume(Net); 373
Freezer Compartment Volume(Net); 105
Loading Quantity/40ft HC Container(pcs); 42

Color Options



Features


- No Frost
- Multicooling Tech
- Door Alarm
- Fast Freeze
- Reversible Door
- Electronic Temp. Control
- Rail with Crisper and Vegetable Drawer
- Tempered Glass Shelves
- Adjustable Feet
- Led Interior Lights in Fridge and Freezer



No Frost



Door Alarm



Fast Freeze



Reversible Door

D70421NE



Vertical Display



Horizontal Display

Technical Data

External Dimensions (WxDxH); 700 x 663 x 1875
 Box Dimensions (WxDxH); 760 x 760 x 1932
 Total Volume (Net) (Lt); 418
 Fresh Food Compartment Volume(Net); 313
 Freezer Compartment Volume(Net); 105
 Loading Quantity/40ft HC Container(pcs); 45

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features

No Frost
 Multicooling Tech / NEO Frost
 Door Alarm
 Fast Freeze
 Reversible Door
 Electronic Temp. Control
 Horizontal or Vertical Door Display Screen
 Rail with Vegetable Drawer
 Tempered Glass Shelves
 Adjustable Feet
 Led Interior Lights in Fridge and Freezer
 Fast Cool



No Frost



Door Alarm



Digital Temp. Control



Fast Cool

D70420NE



Technical Data

External Dimensions (WxDxH); 700 x 663 x 1875
Box Dimensions (WxDxH); 760 x 760 x 1932
Total Volume (Net) (Lt); 418
Fresh Food Compartment Volume(Net); 313
Freezer Compartment Volume(Net); 105
Loading Quantity/40ft HC Container(pcs); 45

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features


- No Frost
- Multicooling Tech
- Door Alarm
- Fast Freeze
- Reversible Door
- Electronic Temp. Control
- Rail with Vegetable Drawer
- Tempered Glass Shelves
- Adjustable Feet
- Led Interior Lights in Fridge and Freezer



No Frost



Door Alarm



Fast Freeze



Reversible Door

Static Refrigerators

D70435SM



Technical Data

External Dimensions (WxDxH); 700 x 663 x 1862
 Box Dimensions (WxDxH); 756 x 705 x 1920
 Total Volume (Net) (Lt); 433
 Fresh Food Compartment Volume(Net); 315,5
 Freezer Compartment Volume(Net); 117,5
 Loading Quantity/40ft HC Container(pcs); 69

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features


Low Frost Static Cooling
 Reversible Door
 Mechanic Temp. Control
 Transparent Door Shelves and Drawer Cover
 Tempered Glass Shelves
 Adjustable Feet
 Led Bulb Interior Light



Low Frost



Temp. Control



Reversible Door

D60300SM



Technical Data

External Dimensions (WxDxH); 595 x 604 x 1752
Box Dimensions (WxDxH); 651 x 650 x 1812
Total Volume (Net) (Lt); 293,5
Fresh Food Compartment Volume(Net); 61,5
Freezer Compartment Volume(Net); 232
Loading Quantity/40ft HC Container(pcs); 73

Features

Low Frost Static Cooling
Reversible Door
Mechanic Temp. Control
Transparent Door Shelves and Drawer Cover
Tempered Glass Shelves
Adjustable Feet
Led Bulb Interior Light

Color Options



Low Frost



Reversible Door

D70520SE



Technical Data

External Dimensions (WxDxH); 700 x 753 x 1875
 Box Dimensions (WxDxH); 756 x 795 x 1920
 Total Volume (Net) (Lt); 519
 Fresh Food Compartment Volume(Net); 375
 Freezer Compartment Volume(Net); 144
 Loading Quantity/40ft HC Container(pcs); 45

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features


Low Frost Static Cooling
 Door Alarm
 Fast Freeze
 Reversible Door
 Electronic Temp Control
 Transparent Door Shelves and Drawer Cover
 Tempered Glass Shelves
 Adjustable Feet
 Led Interior Light




Low Frost



Door Alarm



Fast Freeze



Reversible Door

D54230SM



Technical Data

External Dimensions (WxDxH); 540 x 593 x 1612
Box Dimensions (WxDxH); 580 x 631 x 1667
Total Volume (Net) (Lt); 228,5
Fresh Food Compartment Volume(Net); 48,5
Freezer Compartment Volume(Net); 180
Loading Quantity/40ft HC Container(pcs); 102

Features

Low Frost Static Cooling
Reversible Door
Mechanic Temp. Control
Transparent Door Shelves and Drawer Cover
Adjustable Feet
Tempered Glass Shelves
Led Bulb Interior Light

Color Options



Low Frost



Temp. Control



Reversible Door

Details



Handles



Pariine



Tiara



Petra



Sunline

Upright Freezers



No Frost Freezers

F60230NE



Vertical Display



Horizontal Display

Technical Data

External Dimensions (WxDxH); 595x 655 x 1732

Box Dimensions (WxDxH); 665x 736 x 1788

Loading Quantity/40ft HC Container(pcs); 73

Total Volume (Net) (Lt); 230

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features

No Frost

Door Alarm

Fast Freeze

Electronic Temp. Control

Horizontal or Vertical Door Display Screen

2 Flap 5 Drawer

Easy Open Handle

Adjustable Feet

Reversible Door

Fast Cool

Dual Mode

High Temp. Alarm


Interior Light



No Frost



Door Alarm



Fast Freeze



Dual Mode



Easy Open Handle

F60200NE



Technical Data

External Dimensions (WxDxH); 595x 655 x 1524
Box Dimensions (WxDxH); 665x 736 x 1592
Loading Quantity/40ft HC Container(pcs); 79
Total Volume (Net) (Lt); 205

Color Options



Features


- No Frost
- Door Alarm
- Fast Freeze
- BIG BOX Drawer
- Electronic Temp.. Control
- 2 Flap 4 Drawer
- Easy Open Handle
- Adjustable Feet
- Reversible Door
- Head Panel Controller
- High Temp. Indicator Light
- Interior Light (opt.)



No Frost



Door Alarm



Fast Freeze



Easy Open Handle

F60199NE



Technical Data

External Dimensions (WxDxH); 595x 655 x 1524
 Box Dimensions (WxDxH); 665x 736 x 1592
 Loading Quantity/40ft HC Container(pcs); 79
 Total Volume (Net) (Lt); 205

Color Options



Features


No Frost
 Door Alarm
 High Temp. Indicator Light
 Fast Freeze
 Head Panel Controller
 BIG BOX Drawer
 Electronic Temp. Control
 1 Flap 4 Drawer
 Easy Open Handle
 Adjustable Feet
 Reversible Door
 Interior Light



No Frost



Door Alarm



Fast Freeze



Easy Open Handle

Static Freezers

F60260SM



Technical Data

External Dimensions (WxDxH); 595x 655 x 1720
Box Dimensions (WxDxH); 665x 736 x 1788
Loading Quantity/40ft HC Container(pcs); 73
Total Volume (Net) (Lt); 255

Color Options



Features

- Low Frost Static Cooling
- Mechanic Temp. Control
- 2 Flap 5 Drawer
- Easy Open Handle
- Adjustable Feet
- Reversible Door
- Head Panel Controller



Low Frost



Reversible Door



Easy Open Handle

F60260SE



Technical Data

External Dimensions (WxDxH); 595x 655 x 1720
 Box Dimensions (WxDxH); 665x 736 x 1788
 Loading Quantity/40ft HC Container(pcs); 73
 Total Volume (Net) (Lt); 255

Color Options



White



Black



Silver



Inox



Dark Inox




Inox Look

Features


Low Frost Static Cooling
 Electronic Temp. Control
 2 Flap 5 Drawer
 Fast Freeze
 Easy Open Handle
 Adjustable Feet
 Reversible Door
 High Temp. Indicator Light
 Led Interior Light (Opt.)



Low Frost



Reversible Door




Fast Freeze



Easy Open Handle

F54156SM



Technical Data

External Dimensions (WxDxH); 540x 590 x 1457
Box Dimensions (WxDxH); 580x 633 x 1501
Loading Quantity/40ft HC Container(pcs); 103
Total Volume (Net) (Lt); 153

Color Options



Features


- Low Frost Static Cooling
- Mechanic Temp. Control
- 2 Flap 4 Drawer
- Built-in / Grip / Integrated Handle (Opt.)
- Adjustable Feet
- Reversible Door
- Transparent Flap and Front Cover of Drawer



Low Frost




Temp. Control



Reversible Door

EF54156SE



Technical Data

External Dimensions (WxDxH); 540x 590 x 1457
 Box Dimensions (WxDxH); 580x 633 x 1501
 Loading Quantity/40ft HC Container(pcs); 103
 Total Volume (Net) (Lt); 153

Color Options



Features


Low Frost Static Cooling
 Door Alarm
 High Temp. Indicator Light
 Fast Freeze
 Electronic Temp. Control
 2 Flap 4 Drawer
 Built-in / Grip / Integrated Handle (Opt.)
 Adjustable Feet
 Reversible Door
 Transparent Flap and Front Cover of Drawer




Low Frost



Door Alarm




Fast Freeze



Reversible Door

F54155SM



Technical Data

External Dimensions (WxDxH); 540x 590 x 1457
Box Dimensions (WxDxH); 580x 633 x 1501
Loading Quantity/40ft HC Container(pcs); 103
Total Volume (Net) (Lt); 153

Color Options



Features

Low Frost Static Cooling
Mechanic Temp. Control
1 Flap 4 Drawer
Built-in / Grip / Integrated Handle (Opt.)
Adjustable Feet
Reversible Door
Transparent Flap and Front Cover of Drawer




Low Frost



Reversible Door

F54155SE



Technical Data

External Dimensions (WxDxH); 540x 590 x 1457
 Box Dimensions (WxDxH); 580x 633 x 1501
 Loading Quantity/40ft HC Container(pcs); 103
 Total Volume (Net) (Lt); 153

Color Options



Features


Low Frost Static Cooling
 Door Alarm
 High Temp. Indicator Light
 Fast Freeze
 Electronic Temp Control
 1 Flap 4 Drawer
 Built-in / Grip / Integrated Handle (Opt.)
 Adjustable Feet
 Reversible Door
 Transparent Flap and Front Cover of Drawer




Low Frost



Door Alarm




Fast Freeze



Reversible Door

F54110SM



Technical Data

External Dimensions (WxDxH); 540x 590 x 1000
Box Dimensions (WxDxH); 580x 633 x 1046
Loading Quantity/40ft HC Container(pcs); 193
Total Volume (Net) (Lt); 111

Color Options



Features

- Low Frost Static Cooling
- Mechanic Temp. Control
- 1 Flap 3 Drawer
- Built-in / Grip / Integrated Handle (Opt.)
- Adjustable Feet
- Reversible Door
- Transparent Flap and Front Cover of Drawer




Low Frost



Reversible Door

F54110SE



Technical Data

External Dimensions (WxDxH); 540x 590 x 1000
 Box Dimensions (WxDxH); 580x 633 x 1046
 Loading Quantity/40ft HC Container(pcs); 193
 Total Volume (Net) (Lt); 111

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features


Low Frost Static Cooling
 Door Alarm
 High Temp. Indicator Light
 Fast Freeze
 1 Flap 3 Drawer
 Electronic Temp. Control
 Built-in / Grip / Integrated Handle (Opt.)
 Adjustable Feet
 Reversible Door
 Transparent Flap and Front Cover of Drawer



Low Frost



Door Alarm




Fast Freeze



Reversible Door

F54090SM



Technical Data

External Dimensions (WxDxH); 540x 590 x 845
Box Dimensions (WxDxH); 580x 633x 891
Loading Quantity/40ft HC Container(pcs); 228
Total Volume (Net) (Lt); 87

Color Options



Features

- Low Frost Static Cooling
- Mechanic Temp. Control
- 2 Flap 1 Drawer
- Built-in / Grip / Integrated Handle (Opt.)
- Adjustable Feet
- Reversible Door
- Transparent Flap and Front Cover of Drawer




Low Frost



Reversible Door

F54090SE



Technical Data

External Dimensions (WxDxH); 540x 590 x 845
 Box Dimensions (WxDxH); 580x 633x 891
 Loading Quantity/40ft HC Container(pcs); 228
 Total Volume (Net) (Lt); 87

Color Options



White



Black



Silver



Inox



Dark Inox



Inox Look

Features


Low Frost Static Cooling
 Door Alarm
 High Temp. Indicator Light
 Fast Freeze
 Electronic Temp. Control
 2 Flap 1 Drawer
 Built-in / Grip / Integrated Handle (Opt.)
 Adjustable Feet
 Reversible Door
 Transparent Flap and Front Cover of Drawer




Low Frost



Door Alarm



Fast Freeze




Reversible Door

Chest Freezers



C00602SM



Technical Data

External Dimensions (WxDxH); 1805 x 733 x 845
 Box Dimensions (WxDxH); 1837 x 763 x 885
 Loading Quantity/40ft HC Container(pcs); 57
 Total Volume (Net) (Lt); 540

Color Options



White



Black



Silver

Features

Low Frost Static Cooling
 Mechanic Temp. Control
 Interior Led Bulb (opt.)
 Dual Mode
 Fixed Feet
 Adjustable Feet (opt.)
 Roller Plate Caster Wheels (opt.)
 Swivel Castor Wheels (opt.)
 Ice Cube Tray (opt.)
 Separator (w or w/o Ice Pack) (opt.)
 Plastic Basket (opt.)
 External Handle (opt.)
 High Temperature Indicator Light
 Two Doors (opt.)
 PE Coated Wire Basket (opt.)



Low Frost






Dual Mode



Two Doors

Details



C00600SM



Technical Data

External Dimensions (WxDxH); 1805 x 733 x 845
 Box Dimensions (WxDxH); 1837 x 763 x 885
 Loading Quantity/40ft HC Container(pcs); 57
 Total Volume (Net) (Lt); 540

Color Options



White



Black



Silver

Features

Low Frost Static Cooling
 Mechanic Temp. Control
 Interior Led Bulb (opt.)
 Dual Mode
 Fixed Feet
 Adjustable Feet (opt.)
 Roller Plate Caster Wheels (opt.)
 Swivel Castor Wheels (opt.)
 Ice Cube Tray (opt.)
 Separator (w or w/o Ice Pack) (opt.)
 Plastic Basket (opt.)
 External Handle (opt.)
 High Temperature Indicator Light
 Sliding Glass (opt.)
 PE Coated Wire Basket (opt.)



Low Frost




Dual Mode



Sliding Glass

C00600SM



Technical Data

External Dimensions (WxDxH); 1805 x 733 x 845
Box Dimensions (WxDxH); 1837 x 763 x 885
Loading Quantity/40ft HC Container(pcs); 57
Total Volume (Net) (Lt); 540

Color Options



White



Black



Silver

Features


- Low Frost Static Cooling
- Electronic Temp. Control
- Interior Led Light
- Dual Mode
- Fixed Feet
- Adjustable Feet (opt.)
- Roller Plate Caster Wheels (opt.)
- Swivel Castor Wheels (opt.)
- Ice Cube Tray (opt.)
- Separator (w or w/o Ice Pack) (opt.)
- Plastic Basket (opt.)
- External Handle (opt.)
- Fast Freeze
- Min Ambient Temperature: -15°C
- Sliding Glass (opt.)
- PE Coated Wire Basket (opt.)
- Door Alarm



Low Frost



Min. Ambient Temperature: -15°C



Fast Freeze

C00502SM



Technical Data

External Dimensions (WxDxH); 1570 x 733 x 845
Box Dimensions (WxDxH); 1602 x 763 x 885
Loading Quantity/40ft HC Container(pcs); 66
Total Volume (Net) (Lt); 461

Color Options



White



Black



Silver

Features

Low Frost Static Cooling
Mechanic Temp. control
Interior Led Bulb (opt.)
Dual Mode
Fixed Feet
Adjustable Feet (opt.)
Roller Plate Caster Wheels (opt.)
Swivel Castor Wheels (opt.)
Ice Cube Tray (opt.)
Separator (w or w/o Ice Pack) (opt.)
Plastic Basket (opt.)
External Handle (opt.)
High Temperature Indicator Light
Two Doors (opt.)
PE Coated Wire Basket (opt.)



Low Frost




Dual Mode



Two Doors

C00500SM



Technical Data

External Dimensions (WxDxH); 1570 x 733 x 845
Box Dimensions (WxDxH); 1602 x 763 x 885
Loading Quantity/40ft HC Container(pcs); 66
Total Volume (Net) (Lt); 461

Color Options



Features


- Low Frost Static Cooling
- Mechanic Temp. Control
- Interior Led Bulb (opt.)
- Dual Mode
- Fixed Feet
- Adjustable Feet (opt.)
- Roller Plate Caster Wheels (opt.)
- Swivel Castor Wheels (opt.)
- Ice Cube Tray (opt.)
- Separator (w or w/o Ice Pack) (opt.)
- Plastic Basket (opt.)
- External Handle (opt.)
- Sliding Glass (opt.)
- PE Coated Wire Basket (opt.)



Low Frost



Dual Mode



Sliding Glass

C00500SM



Technical Data

External Dimensions (WxDxH); 1570 x 733 x 845
 Box Dimensions (WxDxH); 1602 x 763 x 885
 Loading Quantity/40ft HC Container(pcs); 66
 Total Volume (Net) (Lt); 461

Color Options



White



Black



Silver

Features


Low Frost Static Cooling
 Electronic Temp. Control
 Interior Led Light
 Dual Mode
 Fixed Feet
 Adjustable Feet (opt.)
 Roller Plate Caster Wheels (opt.)
 Swivel Castor Wheels (opt.)
 Ice Cube Tray (opt.)
 Separator (w or w/o Ice Pack) (opt.)
 Plastic Basket (opt.)
 External Handle (opt.)
 High Temperature Indicator Light
 Min Ambient Temperature: -15°C
 Sliding Glass (opt.)
 PE Coated Wire Basket (opt.)
 Door Alarm
 Fast Freeze




Low Frost



Dual Mode




Sliding Glass



Fast Freeze

C00402SM



Technical Data

External Dimensions (WxDxH); 1300 x 733 x 845
Box Dimensions (WxDxH); 1332 x 763 x 885
Loading Quantity/40ft HC Container(pcs); 81
Total Volume (Net) (Lt); 370

Color Options



Features

- Low Frost Static Cooling
- Mechanic Temp. Control
- Interior Led Bulb (opt.)
- Dual Mode
- Fixed Feet
- Adjustable Feet (opt.)
- Roller Plate Caster Wheels (opt.)
- Swivel Castor Wheels (opt.)
- Ice Cube Tray (opt.)
- Separator (w or w/o Ice Pack) (opt.)
- Plastic Basket (opt.)
- External Handle (opt.)
- Two Doors (opt.)
- PE Coated Wire Basket (opt.)



Low Frost



Dual Mode



Two Doors

C00400SM



Technical Data

External Dimensions (WxDxH); 1300 x 733 x 845
Box Dimensions (WxDxH); 1332 x 763 x 885
Loading Quantity/40ft HC Container(pcs); 81
Total Volume (Net) (Lt); 370

Color Options



Features


Low Frost Static Cooling
Mechanic Temp. Control
Interior Led Light
Dual Mode
Fixed Feet
Adjustable Feet (opt.)
Roller Plate Caster Wheels (opt.)
Swivel Castor Wheels (opt.)
Ice Cube Tray (opt.)
Separator (w or w/o Ice Pack) (opt.)
Plastic Basket (opt.)
External Handle (opt.)
High Temperature Indicator Light
Sliding Glass (opt.)
PE Coated Wire Basket (opt.)



Low Frost




Dual Mode



Sliding Glass

C00400SE



Technical Data

External Dimensions (WxDxH); 1300 x 733 x 845
Box Dimensions (WxDxH); 1332 x 763 x 885
Loading Quantity/40ft HC Container(pcs); 81
Total Volume (Net) (Lt); 303

Color Options



White



Black



Silver

Features

- Low Frost Static Cooling
- Electronic Temp. Control
- Interior Led Light
- Dual Mode
- Fixed Feet
- Adjustable Feet (opt.)
- Roller Plate Caster Wheels (opt.)
- Swivel Castor Wheels (opt.)
- Ice Cube Tray (opt.)
- Separator (w or w/o Ice Pack) (opt.)
- Plastic Basket (opt.)
- External Handle (opt.)
- Fast Freeze
- Min Ambient Temperature: -15°C
- Glass Sliding Door (opt.)
- PE Coated Wire Basket (opt.)




Low Frost



Dual Mode




Min. Ambient Temperature: -15°C



Sliding Glass

C00300SM



Technical Data

External Dimensions (WxDxH); 1035x733x845
Box Dimensions (WxDxH); 1067x763x885
Loading Quantity/40ft HC Container(pcs); 99
Total Volume (Net) (Lt); 280

Color Options



Features


Low Frost Static Cooling
Mechanic Temp. Control
Interior Led Bulb (opt.)
Dual Mode
Fixed Feet
Adjustable Feet (opt.)
Roller Plate Caster Wheels (opt.)
Swivel Castor Wheels (opt.)
Ice Cube Tray (opt.)
Separator (w or w/o Ice Pack) (opt.)
Plastic Basket (opt.)
External Handle (opt.)
High Temperature Indicator Light
Sliding Glass (opt.)
PE Coated Wire Basket (opt.)



Low Frost




Dual Mode



Sliding Glass

C00300SE



Technical Data

External Dimensions (WxDxH); 1300 x 733 x 845
Box Dimensions (WxDxH); 1332 x 763 x 885
Loading Quantity/40ft HC Container(pcs); 81
Total Volume (Net) (Lt); 370

Color Options



White



Black



Silver

Features


- Low Frost Static Cooling
- Electronic Temp. Control
- Interior Led Light
- Dual Mode
- Fixed Feet
- Adjustable Feet (opt.)
- Roller Plate Caster Wheels (opt.)
- Swivel Castor Wheels (opt.)
- Ice Cube Tray (opt.)
- Separator (w or w/o Ice Pack) (opt.)
- Plastic Basket (opt.)
- External Handle (opt.)
- Fast Freeze
- Min Ambient Temperature: -15°C
- Two Glass Sliding Doors (opt.)
- PE Coated Wire Basket (opt.)




Low Frost



Dual Mode




Fast Freeze



Sliding Glass

C00200SM



Technical Data

External Dimensions (WxDxH); 750 x 733 x 845
 Box Dimensions (WxDxH); 782 x 763 x 885
 Loading Quantity/40ft HC Container(pcs); 135
 Total Volume (Net) (Lt); 185

Color Options



White



Black



Silver

Features


Low Frost Static Cooling
 Mechanic Temp. Control
 Interior Led Bulb (opt.)
 Dual Mode
 Fixed Feet
 Adjustable Feet (opt.)
 Roller Plate Caster Wheels (opt.)
 Swivel Castor Wheels (opt.)
 Ice Cube Tray (opt.)
 Separator (w or w/o Ice Pack) (opt.)
 Plastic Basket (opt.)
 External Handle (opt.)
 High Temperature Indicator Light
 Glass Sliding Doors (opt.)
 PE Coated Wire Basket (opt.)



Low Frost




Dual Mode



Sliding Glass

C00200SE



Technical Data

External Dimensions (WxDxH); 750 x 733 x 845
Box Dimensions (WxDxH); 782 x 763 x 885
Loading Quantity/40ft HC Container(pcs); 135
Total Volume (Net) (Lt); 142

Color Options



Features


- Low Frost Static Cooling
- Electronic Temp. Control
- Interior Led Light
- Dual Mode
- Fixed Feet
- Adjustable Feet (opt.)
- Roller Plate Caster Wheels (opt.)
- Swivel Castor Wheels (opt.)
- Ice Cube Tray (opt.)
- Separator (w or w/o Ice Pack) (opt.)
- Plastic Basket (opt.)
- External Handle (opt.)
- Fast Freeze
- Min Ambient Temperature: - 15°C
- Sliding Glass (opt.)
- Door Alarm
- PE Coated Wire Basket (opt.)



Low Frost



Dual Mode





Sliding Glass



Min. Ambient Temperature: -15°C

C00150SM



Technical Data

External Dimensions (WxDxH); 681 x 560 x 845
 Box Dimensions (WxDxH); 713 x 585 x 885
 Loading Quantity/40ft HC Container(pcs); 201
 Total Volume (Net) (Lt); 125

Color Options



White



Black



Silver

Features

Low Frost Static Cooling
 Mechanic Temp. Control
 Dual Mode
 Fixed Feet
 Adjustable Feet (opt.)
 Roller Plate Caster Wheels (opt.)
 Swivel Castor Wheels (opt.)
 Ice Cube Tray (opt.)
 Separator (w or w/o Ice Pack) (opt.)
 Plastic Basket (opt.)
 External Handle (opt.)
 High Temperature Indicator Light
 PE Coated Wire Basket (opt.)
 Interior Led Bulb (opt.)



Low Frost





Dual Mode



Sliding Door

C00100SE



Technical Data

External Dimensions (WxDxH); 570 x 560 x 845
Box Dimensions (WxDxH); 602 x 585 x 885
Loading Quantity/40ft HC Container(pcs); 234
Total Volume (Net) (Lt); 96

Color Options



Features


- Low Frost Static Cooling
- Electronic Temp. Control
- Interior Led Bulb (opt.)
- Dual Mode
- Fixed Feet
- Adjustable Feet (opt.)
- Roller Plate Caster Wheels (opt.)
- Swivel Castor Wheels (opt.)
- Ice Cube Tray (opt.)
- Separator (w or w/o Ice Pack) (opt.)
- Plastic Basket (opt.)
- External Handle (opt.)
- Fast Freeze
- PE Coated Wire Basket (opt.)



Low Frost




Dual Mode



Fast Freeze

S54110SM



Technical Data

External Dimensions (WxDxH); 546,5x 590 x 845
Box Dimensions (WxDxH); 580x 633 x 891
Loading Quantity/40ft HC Container(pcs); 228
Total Volume (Net) (Lt); 113,2
Fresh Food Compartment Volume(Net); 99,6
Freezer Compartment Volume(Net); 13,6

Color Options



Features

- Low Frost Static Cooling
- Mechanic Temp. Control
- Led Bulb Lighting
- Transparent Door Shelf and Drawer
- Tempered Glass Shelves
- Built-in / Grip / Integrated Handle (opt.)
- Reversible Door
- Adjustable Feet
- Ice Tray
- Egg Tray
- Freezer Area (4 star feature)



Low Frost



Reversible Door



Temp. Control

Details



Swivel Caster Wheels with Brake



Swivel Caster Wheels




Adjustable Feet




Fixed Feet

Packaging Types


Brown Box (Standard)



DD-Combi Box



Upright Freezer
Box



Multidoor Box



Fridge Box

Shrink (Standard)



100-300



400-600



HQ

Mehmet Akif Mahallesi Bahariye Caddesi
Çam Sokak No:51/5 İkitelli
K.Çekmece / İstanbul,
TÜRKİYE
+90 (212) 692 30 00

Mersin Factory

Organize Sanayi Bölgesi Tarsus
Mersin,
TÜRKİYE
+90 (324) 676 46 46

Çerkezköy Factory

Karaağaç, 8. Sk. No: 8, 59510 Kapaklı Tekirdağ
TÜRKİYE
+90 (282) 758 13 86

Lüleburgaz Factory

Evrensekiz Cd., No: 7/1, 39750 Sakızköy
Lüleburgaz / Kırklareli,
TÜRKİYE
+90 (212) 692 30 00

www.tectone.com.tr

All designs and images in this catalog are the exclusive property of Tectone. We reserve the right to modify technical data, design, and colors of individual appliances, and all other information contained within this brochure without notice. Due to variables in the reproduction process, the colors of actual products may vary slightly from those depicted. Unauthorized use, reproduction, or distribution of these designs and images is strictly prohibited. All rights reserved.



Empower Every Home.

